

Cornell University Library
Ithaca, New York

FROM

W. F. Willcox

Cornell University Library
RC 443.P77

Comparative statistics of state hospital



3 1924 012 457 283

olin

COMPARATIVE STATISTICS
OF
STATE HOSPITALS FOR MENTAL DISEASES
1920

BY

HORATIO M. POLLOCK, PH. D.,
STATISTICIAN, NEW YORK STATE HOSPITAL COMMISSION

EDITH M. FURBUSH,
STATISTICIAN, THE NATIONAL COMMITTEE FOR MENTAL HYGIENE

PUBLISHED BY BUREAU OF STATISTICS
THE NATIONAL COMMITTEE FOR MENTAL HYGIENE
370 SEVENTH AVENUE, NEW YORK CITY



Cornell University Library

The original of this book is in
the Cornell University Library.

There are no known copyright restrictions in
the United States on the use of the text.

COMPARATIVE STATISTICS
OF
STATE HOSPITALS FOR MENTAL DISEASES
1920

BY

HORATIO M. POLLOCK, PH. D.,
STATISTICIAN, NEW YORK STATE HOSPITAL COMMISSION

EDITH M. FURBUSH,
STATISTICIAN, THE NATIONAL COMMITTEE FOR MENTAL HYGIENE

1922
STATE HOSPITALS PRESS, UTICA

COMPARATIVE STATISTICS OF STATE HOSPITALS FOR MENTAL DISEASES, 1920*

HORATIO M. POLLOCK, Ph. D.,
STATISTICIAN, NEW YORK STATE HOSPITAL COMMISSION

EDITH M. FURBUSH,
STATISTICIAN, THE NATIONAL COMMITTEE FOR MENTAL HYGIENE

NEARLY all of the state hospitals for mental diseases throughout the country are using the system of statistics and classification adopted by the American Psychiatric Association in 1917. The larger part of these hospitals are sending duplicate copies of their annual statistical tables to the National Committee for Mental Hygiene, which has actively cooperated with the American Psychiatric Association in introducing the system. The Bureau of Statistics of the National Committee has annually compiled the statistical reports received from the several hospitals, beginning with the year 1918, and has published the results in condensed form in *Mental Hygiene*. These studies of state hospital data, together with the censuses of patients in institutions on January 1, 1917, 1918 and 1920, constitute the only available national statistics of mental disease since the Federal census study of 1910.

This study is a continuation of the series begun in 1918 and comprises data compiled from the uniform tabular reports of 77 hospitals representing 26 states. The reports received from a few additional hospitals could not be included on account of various inconsistencies and inaccuracies and the fact that some hospitals preparing biennial reports did not compile them by separate years. It is regrettable that reports could not be secured from all the

*The authors wish to express their appreciation of the generous cooperation of the superintendents of the state hospitals represented in this study, and to acknowledge their indebtedness to Miss Adah K. Attwood, Assistant Statistician of the National Committee for Mental Hygiene, who checked the reports from the hospitals and compiled many of the tables herein published.

hospitals in a larger number of states so that comparative rates might be based upon the general population. It must be remembered, however, that the year 1920 was a trying period for most state hospitals. There was a serious shortage of physicians, nurses, attendants and clerks. Consequently many superintendents felt the necessity of curtailing their statistical reports. It is believed that when normal conditions are restored in the state hospitals a greater degree of cooperation in statistical reports will be secured.

The data contained in this study, while not complete, are representative, and afford an adequate basis for the comparison of the results of one hospital with those of others similarly situated. The following topics are included, each of which is the subject of a separate table:

1. Patients, physicians and employees.
2. Expenditures for maintenance.
3. Movement of patient population.
4. Psychoses of first admissions.
5. Nativity of first admissions.
6. Age of first admissions.
7. Degree of education of first admissions.
8. Environment of first admissions.
9. Economic condition of first admissions.
10. Use of alcohol by first admissions.
11. Marital condition of first admissions.
12. Discharges, classified with reference to psychoses and condition on discharge.
13. Recovery and improvement rates.
14. Duration of hospital life of patients dying in the state hospitals.
15. Deaths and death rates.

Owing to the incompleteness of some of the reports, the number of hospitals represented varies somewhat in the several tables. The number is indicated in the heading of each table.

PATIENTS, PHYSICIANS, AND EMPLOYEES

(See Table 1, page 23)

Table 1 shows a wide divergence in the ratio of patients to physicians and employees in the several states. In very few hospitals is the pre-war standard of 1 physician to 150 patients maintained; in some states the ratio is lower than 1 to 300. The average ratio in the whole group combined is 1 to 218.9. This is a marked gain over the average ratio shown in the study of 1918,* namely, 1 to 242.7. Had the vacancies on the medical staffs in 1920 been filled, the average ratio would probably have been better than 1 to 200. The general average ratio of ward employees to patients in 1920 was 1 to 13.0, as compared with 1 to 12.5 in 1918; of all employees to patients in 1920, 1 to 6.7 and in 1918, 1 to 6.9.

These figures indicate an unsatisfactory standard of care in many hospitals, which it is hoped will prove to be merely a transient condition.

EXPENDITURES FOR MAINTENANCE

(See Table 2, page 27)

The amounts required for the maintenance of patients in state hospitals in 1920 were appalling. The average per state hospital was nearly a half million dollars, while the expenditures of Manhattan State Hospital, the largest of the group, were \$1,783,048.88. The general average per capita expenditure for maintenance in 1920 was \$315.28, as compared with \$261.79 for the same group of hospitals in 1918. It will be remembered that the index of the cost of living, which rose rapidly during the war, reached its highest point in 1920. Comparing the figures of 1918 with those of 1920, it will be observed that there was an increase in nearly every hospital in the latter year, although in some hospitals the increase is much more marked than in others. The per capita cost of maintenance in the hospitals of

* Comparative Statistics of State Hospitals for Mental Diseases, 1918. By H. M. Pollock and Edith M. Furbush. *Mental Hygiene*, vol. IV, pp. 137-191, January, 1920.

Massachusetts and New York was much higher than in those of Ohio and Pennsylvania. The per capita cost in the northern and eastern states in general was also higher than in the southern and western states.

MOVEMENT OF PATIENTS

(See Table 3, page 29)

The distinction between "first admissions" and "readmissions," which until recently has caused so much confusion in hospital statistics, is now being uniformly made, and there is no longer any serious difficulty with respect to returned escapes and paroles. The latter are not counted as admissions unless they have been previously discharged from the books.

Likewise the data relative to discharges are freed from the duplications which previously occurred in some hospitals when paroles and escapes were counted as discharges while still being carried on the hospital books. Under the present system, parole is considered as an incident in treatment, and the paroled patient is continued on the books until the expiration of the parole period.

The increase in patients during the year in most of the hospitals listed in the table was very small, and in some a decrease occurred. The total net increase was less than two per cent.

PSYCHOSES OF FIRST ADMISSIONS

(See Table 4, page 33)

The 21,742 first admissions classified in Table 4 constitute the largest group of diagnoses of mental disorders that has been brought together under the uniform system. Although marked variations are seen in the relative distribution of the various psychoses in the several hospitals, the results as a whole are very similar to those obtained in our study* of mental diseases for the year 1919.

* Mental Diseases in Twelve States, 1919. By H. M. Pollock and Edith M. Furbush. Mental Hygiene, vol. V, pp. 353-389, April, 1921.

Distribution of Principal Psychoses, 1919 and 1920

Psychoses	1919		1920	
	Number	Per cent	Number	Per cent
Senile	1,742	11.4	2,550	12.1
With cerebral arteriosclerosis..	844	5.5	1,350	6.4
General paralysis	1,514	9.9	2,219	10.6
Alcoholic	703	4.6	476	2.3
Manic-depressive	2,269	14.8	3,366	16.0
Involution melancholia	453	3.0	683	3.3
Dementia praecox	4,280	28.0	5,676	27.0
Paranoia or paranoid conditions	266	1.7	594	2.8
Epileptic psychoses	464	3.0	560	2.7
Psychoneuroses and neuroses..	272	1.8	435	2.1
With psychopathic personality	210	1.4	492	2.3
With mental deficiency	508	3.3	680	3.2
All other psychoses	1,769	11.6	1,931	9.2
 Total	 15,294	 100.0	 21,012	 100.0

The most remarkable change since 1919 has been the reduction of alcoholic psychoses, the percentage having dropped from 4.6 to 2.3. This is apparently due to more rigid restrictions of the liquor traffic. It will be noted that a few hospitals report no alcoholic cases. The gradual reduction of alcoholic cases from about 10 per cent in 1910 to about 2 per cent in 1920 is a noteworthy accomplishment. Data presented in other studies* also indicate that alcohol has been largely eliminated as an etiological factor in psychoses other than the alcoholic group.

The percentage of general paralysis cases among the first admissions included in this study is a trifle larger than that found in the group studied in 1919, but the variation is not sufficient to indicate a rising trend. The prevalence of dementia praecox and of manic-depressive psychoses among the first admissions varies greatly in the different states. This is probably due in part to differences in standards of diagnosis and in part to actual differences in forms of mental disease occurring in various parts of the country.

* Decline of Alcohol and Drugs as Causes of Mental Disease. By H. M. Pollock. *Mental Hygiene*, vol. V, pp. 123-129, January, 1921.

READMISSIONS

As the psychoses of readmissions have less significance, they are not set forth in detail for the several hospitals, but the data are condensed into the following table showing the number and per cent distribution of the different psychoses.

Psychoses of Readmissions to 70 State Hospitals for Mental Diseases, for the Fiscal Year 1920

Psychoses	Number			Per cent		
	Males	Females	Total	Males	Females	Total
Traumatic	5	..	5	0.2	..	0.1
Senile	56	84	140	2.1	3.3	2.7
With cerebral arteriosclerosis	63	36	99	2.3	1.4	1.9
General paralysis	159	44	203	5.9	1.7	3.8
With cerebral syphilis	11	13	24	0.4	0.5	0.5
With Huntington's chorea	1	1
With brain tumor	2	1	3	0.1	..	0.1
With other brain or nervous diseases	9	9	18	0.3	0.4	0.3
Alcoholic	102	17	119	3.8	0.7	2.3
Due to drugs and other exogenous toxins	12	11	23	0.4	0.4	0.4
With pellagra	1	12	13	..	0.5	0.2
With other somatic diseases	14	27	41	0.5	1.1	0.8
Manic-depressive	789	1,047	1,836	29.1	40.9	34.8
Involution melancholia	40	70	110	1.5	2.7	2.1
Dementia praecox	964	758	1,722	35.5	29.6	32.6
Paranoia or paranoid conditions..	64	75	139	2.4	2.9	2.6
Epileptic psychoses	56	62	118	2.1	2.4	2.2
Psychoneuroses and neuroses	37	55	92	1.4	2.1	1.7
With psychopathic personality ..	92	65	157	3.4	2.5	3.0
With mental deficiency	85	79	164	3.1	3.1	3.1
Undiagnosed psychoses	61	52	113	2.2	2.0	2.1
Without psychosis	94	42	136	3.5	1.6	2.6
Total	2,716	2,560	5,276	100.0	100.0	100.0

It will be noted that more than two-thirds of the readmissions are classed in the two groups, manic-depressive psychoses and dementia praecox.

NATIVITY AND CITIZENSHIP

(See Table 5, page 41)

Table 5 shows marked variations in the different sections of the country with respect to the admission of foreign-born

and alien patients. The eastern states receive a very much larger proportion of immigrants than the western states. The per cent distribution of the whole group with respect to nativity is shown in the accompanying tabulation.

Nativity of First Admissions to 71 State Hospitals for Mental Diseases, for the Fiscal Year 1920

Country of birth	Number	Per cent
United States	14,006	67.0
Total foreign born	6,902	33.0
Austria	597	2.9
Belgium	24	0.1
Bohemia	37	0.2
Canada	562	2.7
Czecho-Slovakia	47	0.2
Denmark	71	0.3
England	390	1.9
Finland	72	0.3
France	83	0.4
Germany	773	3.7
Greece	89	0.4
Holland	33	0.2
Hungary	277	1.3
Ireland	869	4.2
Italy	847	4.1
Mexico	163	0.8
Norway	88	0.4
Poland	321	1.5
Portugal	28	0.1
Roumania	53	0.3
Russia	733	3.5
Scotland	105	0.5
Spain	37	0.2
Sweden	198	0.9
Switzerland	50	0.2
Turkey	58	0.3
West Indies	83	0.4
Other countries	214	1.0
<hr/> Total	20,908	100.0

The above figures indicate the types of immigrant patients being received in the hospitals, but in the absence of data with respect to the general population do not throw any light on the question of the relative prevalence of mental diseases among the immigrants coming from the different countries.

The data received from the hospitals reporting the citizenship of first admissions when combined give the following totals:

Citizenship of First Admissions to 68 State Hospitals for Mental Diseases, for the Fiscal Year 1920

Citizenship	Males	Females	Number	Total Per cent
Citizens by birth	7,552	6,210	13,762	67.1
Citizens by naturalization..	1,309	1,120	2,429	11.8
Aliens	2,034	1,340	3,374	16.5
Citizenship unascertained..	503	438	941	4.6
 Total	 11,398	 9,108	 20,506	 100.0


The fact that one-sixth of the first admissions to these state hospitals are aliens calls for remedial legislation. It cannot be expected that the states will continue indefinitely to make provision for so large a number of citizens of other countries when the state hospitals are now filled to overflowing and the burden of the care of the citizen insane is becoming so heavy.

AGE DISTRIBUTION

(See Table 6, page 53)

Table 6 shows very clearly that age and sex are highly important factors in the various psychoses. It is seen that the distribution by age groups varies greatly in the different forms of mental disease and that the distribution of the totals throws very little light on the relative frequency of any particular psychosis at different periods of life. The accompanying series of frequency charts illustrates these differences and indicates in a striking way the distribution of the various disorders in the several age groups.

PER CENT DISTRIBUTION BY AGE GROUPS
OF FIRST ADMISSIONS WITH CERTAIN PSYCHOSES



DEGREE OF EDUCATION

(See Table 7, page 57)

Of the 20,238 patients in Table 7 whose degree of education was ascertained, 2,054, or 10.1 per cent, were reported as illiterate; 4,565, or 22.6 per cent, as merely able to read and write; 11,257, or 55.6 per cent, as having a common school education; 1,852, or 9.2 per cent, as having attended high school; and 510, or 2.5 per cent, as having attended college. The degree of education of 1,122 cases was not ascertained.

A noteworthy fact brought out in the table is the high percentage of patients with drug psychoses who had the advantage of a high-school or collegiate education. An explanation is found in part in the relatively large number of trained nurses and physicians who acquire the drug habit. Other groups in which the admissions have educational training above the average are the traumatic, with brain tumor, manic-depressive, involution melancholia, and psychoneuroses and neuroses groups. The highest proportion of illiterates is, of course, found in the mental deficiency group, while high percentages are also seen in the senile, pellagra and epileptic groups.

ENVIRONMENT

(See Table 8, page 58)

Of the 21,817 first admissions included in Table 8, 15,577, or 71.4 per cent, were from urban environment, 5,913, or 27.1 per cent, were from rural, while the environment of 327, or 1.5 per cent, was unascertained. The terms urban and rural are used as in the classification of the Federal Census Bureau, "urban" applying to places having a population of 2,500 or more and "rural" to all others. The dementia-præcox group furnishes 28.4 per cent of the first admissions from an urban environment, manic-depressive 15.1 per cent, general paralysis 12.6 per cent, and senile psychoses 10.7 per cent. In the rural group, the dementia-præcox cases constitute 25.3 per cent of the first admissions, followed by the manic-depressive with 18.6 per cent, and

the senile with 15.6 per cent, with general paralysis contributing only 5.2 per cent. The number and percentage of each psychosis among the first admissions for the years 1919 and 1920 are shown in the following table, the 1919 data including 32 state hospitals and the 1920, 72 such hospitals.

Distribution by Psychoses of First Admissions from Urban and Rural Environments, 1919 and 1920

Psychoses	Urban				Rural			
	1919 Number	1919 Per cent	1920 Number	1920 Per cent	1919 Number	1919 Per cent	1920 Number	1920 Per cent
Senile	873	10.6	1,611	10.7	468	14.9	887	15.6
With cerebral								
arteriosclerosis	403	4.9	1,001	6.6	118	3.8	363	6.4
General paralysis	1,041	12.6	1,902	12.6	178	5.7	297	5.2
Alcoholic	333	4.0	400	2.7	56	1.8	77	1.4
Manic-depressive	1,271	15.4	2,272	15.1	598	19.0	1,059	18.6
Involution melancholia	253	3.1	417	2.8	109	3.5	205	3.6
Dementia praecox	2,341	28.4	4,276	28.4	826	26.3	1,444	25.3
Paranoia or paranoid								
conditions	131	1.6	347	2.3	49	1.6	148	2.6
Epileptic psychoses ...	231	2.8	359	2.4	144	4.6	209	3.7
Psychoneuroses and								
neuroses	128	1.6	292	1.9	45	1.4	138	2.4
With psychopathic								
personality	136	1.7	383	2.5	44	1.4	97	1.7
With mental deficiency	224	2.7	415	2.8	139	4.4	260	4.6
All other psychoses ..	871	10.6	1,404	9.3	366	11.7	514	9.0
Total	8,236	100.0	15,079	100.0	3,140	100.0	5,698	100.0

The following psychoses showed increases in percentages for urban admissions from 1919 to 1920, worthy of mention: psychoses with cerebral arteriosclerosis, paranoia, psychoneuroses and neuroses, and psychoses with psychopathic personality. In the following groups among the admissions from urban environment, there was a decrease in the percentage of first admissions: alcoholic psychoses, manic-depressive, involution melancholia and epileptic psychoses. Among the first admissions from rural communities, the following showed an increase in percentage of first admissions: senile, with cerebral arteriosclerosis, paranoia, psy-

choneuroses and neuroses, psychoses with psychopathic personality, and with mental deficiency, while a decrease is noted in the following: general paralysis, alcoholic psychoses, manic-depressive, dementia praecox and epileptic psychoses. The most important changes were in the alcoholic and arteriosclerotic groups.

ECONOMIC CONDITION

(See Table 9, page 59)

The headings in Table 9 are used as in the *Statistical Manual* and are defined as follows: "Dependent," lacking in the necessities of life or receiving aid from public funds or persons outside the immediate family; "marginal," living on daily earnings, but accumulating little or nothing, being on the margin between self-support and dependency; "comfortable" having accumulated resources sufficient to maintain self and family for at least four months.

Comparing the results shown in Table 9 with those obtained in the study of 1919,* we find marked differences in the relative proportion of patients who were "dependent," "marginal," and "comfortable" on admission. The following summary presents numbers and percentages based upon the totals ascertained for the two years, including 40 hospitals for 1919, and 69 hospitals for 1920.

Distribution by Economic Condition of First Admissions, 1919 and 1920

Economic condition	1919		1920	
	Number	Per cent	Number	Per cent
Dependent	1,857	13.9	3,979	20.4
Marginal	9,178	68.5	10,897	56.0
Comfortable	2,358	17.6	4,597	23.6
 Total	 13,393	 100.0	 19,473	 100.0

The differences in the percentages for the two years are larger than would be expected, but conditions have been

* Social Facts Relative to Patients with Mental Diseases. By Edith M. Furbush. *Mental Hygiene*, vol. V, pp. 587-611, July, 1921.

unusual and it is known that marked changes in the economic condition of a considerable proportion of the population took place in 1919 and 1920.

USE OF ALCOHOL

(See Table 10, page 60)

As previously mentioned, the proportion of patients admitted with a record of intemperate use of alcohol is lessening year by year. The data shown by this table indicate a decline since 1919. These results do not bear out the statements frequently found in the daily press that the consumption of strong liquor is increasing. The proportion of first admissions in the principal psychoses for the years 1919 and 1920 with a record of intemperate use of alcohol is shown in the accompanying table. The 1919 data include 38 state hospitals with 12,179 first admissions; and the 1920, 69 such hospitals with 18,687 first admissions.

Intemperate Users of Alcohol among First Admissions in Principal Psychoses, 1919 and 1920

Psychoses	1919		1920	
	Number	Per cent*	Number	Per cent*
Senile	130	10.4	210	9.7
With cerebral arteriosclerosis..	105	14.2	178	14.1
General paralysis	316	25.1	563	28.4
Alcoholic	667	100.0	468	100.0
Manic-depressive	114	6.8	240	8.1
Involution melancholia	21	5.0	33	5.4
Dementia praecox	331	9.6	552	10.6
Paranoia or paranoid conditions	26	12.0	50	11.4
Epileptic psychoses	38	10.5	46	9.4
Psychoneuroses and neuroses..	10	4.3	20	5.0
With psychopathic personality	27	15.3	81	17.5
With mental deficiency	43	11.1	71	12.5
All other psychoses	175	12.8	228	13.5
Total	2,003	16.4	2,740	14.7

* Based upon total ascertained and excluding admissions without psychosis.

MARITAL CONDITION

(See Table 11, page 61)

Table 11 has much significance in indicating the social make-up of the first admissions in the various psychoses. An analysis of results in the several groups shows marked differences between males and females in regard to marriage prior to the onset of the psychosis. A comparison of the distribution with respect to marital state in the principal psychoses is shown in the accompanying table (page 17).

The very high percentage of single patients in the dementia-præcox group confirms previous observations that sexual maladaptation is a prominent factor in this disorder.

RESULTS OF TREATMENT

(See Tables 12 and 13, pages 63 and 64)

Table 12 includes the discharges of 69 state hospitals and classifies them by psychoses and condition on discharge, while Table 13 gives the number of patients discharged as recovered and improved in the separate hospitals and the rate based on all admissions for each sex. Of the 13,540 discharges classified in Table 12, 4,781, or 35.3 per cent, were discharged as recovered; 6,034, or 44.6 per cent, as improved; 2,022, or 14.9 per cent, as unimproved, and 703, or 5.2 per cent, as without psychosis. More than half of the recoveries were in the manic-depressive group. The next largest group of recoveries was the alcoholic. Three hundred and fifty-seven dementia-præcox patients were discharged as recovered and 2,448 as improved. These figures would indicate that this type of mental disease is not so hopeless as was once thought.

Referring to Table 13, we find wide variation in the percentages of cases discharged as recovered and improved from the several hospitals. This fact is accounted for in part by differences in administrative policies in the various states, and in part by actual differences in results of treatment.

Distribution by Marital Condition in the Principal Psychoses

PSYCHOSIS	TOTAL		SINGLE		MARRIED		WIDOWED		SEPARATED		DIVORCED	
	AS CERTAINED	PER CENT	NUMBER	PER CENT	NUMBER	PER CENT	NUMBER	PER CENT	NUMBER	PER CENT	NUMBER	PER CENT
Senile	2,477	100.0	364	14.7	838	33.8	1,209	48.8	25	1.0	41	1.7
With cerebral arteriosclerosis	1,362	100.0	189	13.9	684	50.2	448	32.9	24	1.8	17	1.2
General paralysis	2,188	100.0	485	22.3	1,354	61.9	221	10.1	55	2.5	73	3.3
Alcoholic	474	100.0	185	39.0	228	48.1	43	9.1	7	1.5	11	2.3
Manic-depressive	3,338	100.0	1,108	33.2	1,874	56.1	232	7.0	65	1.9	59	1.8
Involution melancholia	625	100.0	127	20.3	385	61.6	91	14.6	9	1.4	13	2.1
Dementia praecox	5,749	100.0	3,501	60.9	1,780	31.0	263	4.6	95	1.7	110	1.9
Paranoia or paranoid conditions	496	100.0	152	30.6	242	48.9	69	13.9	15	3.0	18	3.6
Epileptic psychoses	565	100.0	335	59.3	169	29.9	35	6.2	11	1.9	15	2.7
Psychoneuroses and neuroses	433	100.0	164	37.9	224	51.7	29	6.7	3	0.7	13	3.0
With psychopathic personality	486	100.0	289	59.5	152	31.3	19	3.9	16	3.3	10	2.1
With mental deficiency	677	100.0	517	76.4	118	17.4	24	3.5	13	1.9	5	0.7
All other psychoses	1,928	100.0	540	28.0	1,094	56.7	219	11.4	41	2.1	34	1.8
Total	20,798	100.0	7,956	38.3	9,142	44.0	2,902	14.0	379	1.8	419	2.0

In considering rates of recovery and improvement based on all admissions, it must be borne in mind that any marked increase or decrease of admissions during a given year in any hospital will inversely affect such rates. It is well understood that a large part of the discharges of one year come from the admissions of the preceding year. When the admission rate of the hospital is uniform year by year, it is fair to compute recovery rates on all admissions, but if the admissions from year to year change to a considerable extent, the basis becomes less satisfactory.

The following table shows a comparison of the recovery and improvement rates in the various psychoses for the years 1919 and 1920. The rates are based upon the total number of patients admitted, excluding transfers and those admissions without psychosis. The better results in 1920 are noteworthy.

*Recovery and Improvement Rates in Principal Psychoses
Based on Total Admissions, 1919 and 1920*

Psychoses	Total		Percent dis- charged as recovered		Per cent dis- charged as improved	
	1919	1920	1919	1920	1919	1920
Senile	7.3	8.4	0.3	0.5	7.0	7.9
With cerebral arteriosclerosis	12.2	12.9	2.1	1.5	10.1	11.4
General paralysis	8.9	13.0	...	0.4	8.9	12.6
Alcoholic	85.1	127.1	50.2	80.7	34.9	46.4
Manic-depressive	63.3	75.4	42.8	51.4	20.5	24.0
Involution melancholia	34.6	43.3	16.4	20.3	18.2	23.0
Dementia præcox	30.9	39.1	2.0	4.9	28.9	34.2
Paranoia or paranoid con- ditions	44.7	39.8	4.3	8.3	40.4	31.5
Epileptic psychoses	28.9	29.6	5.7	7.5	23.2	22.1
Psychoneuroses and neuroses	65.0	69.4	25.8	30.9	39.2	28.5
With psychopathic personality	71.7	63.0	40.7	36.6	31.0	26.4
With mental deficiency	52.2	41.8	26.0	20.0	26.2	21.8
All other psychoses	33.6	44.4	17.3	26.3	16.3	18.1
Total	36.6.	42.5	15.1	18.8	21.5	23.7

DEATHS

(See Tables 14 and 15, pages 68 and 72)

The 11,420 patients who died in 71 state hospitals are classified in Table 14 according to psychosis and length of hospital residence. Of these deaths, 1,648, or 14.4 per cent, were in the hospital less than one month; 1,626, or 14.2 per cent, had a hospital residence of from one to three months; 1,221, or 10.7 per cent, from 4 to 7 months; 761, or 6.7 per cent, from 8 to 12 months; 1,966, or 17.2 per cent, from 1 to 2 years; 977, or 8.6 per cent, from 3 to 4 years, and 545, or 4.8 per cent, from 5 to 6 years. Nine hundred seventy-nine, or 8.6 per cent of the patients who died, had been in the hospital for 20 years or over. The duration of hospital life varies greatly in the different psychoses, being longest in the dementia-præcox and paranoid groups, and shortest in the drug and somatic groups.

On account of the acute illness of many patients on admission, the death rate during the first year of hospital life is much higher than in the immediately succeeding years. The per cent distribution of the hospital-life period in the several groups, excluding those without psychosis, is shown in the tabulation on pages 20 and 21. (See also the accompanying chart, page 22.)

Table 15 presents the number of deaths in each hospital for the fiscal year 1920 and the death rates per 1,000 patients under treatment for the years 1910, 1918, and 1920. The general death rate for 1920 in the hospitals studied was 77.8 per 1,000 patients under treatment. The rate among the males was 84.5 and among the females 70.6. In 1910 the death rate for the same group of hospitals was 73.3, and in 1918 it was 85.5. In 1919 the general rate in the state hospitals of 12 states was 93.4. This abnormally high rate was due principally to the influenza epidemic which occurred in many of the hospitals during the fiscal year that ended in 1919.

The death rates in the several hospitals vary greatly. Hospitals that are located in large cities and receive a large


Per Cent Distribution of Hospital Life Periods in the Principal Psychoses

PSYCHOSES	TOTAL		UNDER 1 YEAR		1 - 2 YEARS		3 - 4 YEARS	
	Number	Per cent	Number	Per cent	Number	Per cent	Number	Per cent
Senile	2,245	100.0	1,391	62.0	408	18.2	174	7.8
With cerebral arteriosclerosis	1,070	100.0	784	73.3	150	14.0	67	6.3
General paralysis	1,977	100.0	1,173	59.3	584	29.5	147	7.4
Alcoholic	203	100.0	37	18.2	29	14.3	33	16.3
Manic-depressive	1,332	100.0	521	39.1	174	13.1	106	8.0
Involution melancholia	334	100.0	148	44.3	51	15.3	27	8.1
Dementia precoox	2,290	100.0	332	14.5	279	12.2	230	10.0
Paranoia or paranoid conditions	199	100.0	33	16.6	19	9.5	21	10.6
Epileptic psychoses	476	100.0	91	19.1	91	19.1	73	15.3
Psychoneuroses and neuroses	39	100.0	16	41.0	9	23.1	6	15.4
With psychopathic personality	62	100.0	15	24.2	14	22.6	13	21.0
With mental deficiency	247	100.0	51	20.6	36	14.6	31	12.6
All other psychoses	852	100.0	623	73.1	103	12.1	43	5.0
Total	11,326	100.0	5,215	46.0	1,947	17.2	971	8.6

Per Cent Distribution of Hospital Life Periods in the Principal Psychoses—(Concluded)

PSYCHOSIS	5 - 6 YEARS		7 - 8 YEARS		9 - 10 YEARS		11 YEARS AND OVER	
	Number	Per cent	Number	Per cent	Number	Per cent	Number	Per cent
Senile	79	3.5	48	2.1	34	1.5	111	4.9
With cerebral arteriosclerosis	22	2.1	7	0.7	9	0.8	31	2.9
General paralysis	39	2.0	14	0.7	11	0.5	11	0.6
Alcoholic	25	12.3	17	8.4	13	6.4	49	24.1
Manic-depressive	73	5.5	63	4.7	51	3.8	344	25.8
Involution melancholia	23	6.9	12	3.6	20	6.0	53	15.9
Dementia praecox	166	7.2	145	6.3	116	5.1	1,022	44.6
Paranoia or paranoid conditions	9	4.5	19	9.5	14	7.0	84	42.2
Epileptic psychoses	46	9.7	31	6.5	37	7.8	107	22.5
Psychoneuroses and neuroses	2	5.1	1	2.6	1	2.6	4	10.3
With psychopathic personality	3	4.8	4	6.5	2	3.2	11	17.7
With mental deficiency	29	11.7	15	6.1	15	6.1	70	28.3
All other psychoses	24	2.8	15	1.8	15	1.8	29	3.4
Total	540	4.8	391	3.5	336	3.0	1,926	17.0

PER CENT DISTRIBUTION OF HOSPITAL LIFE PERIODS
OF PATIENTS DYING IN STATE HOSPITALS - 1920



number of physically ill patients have higher death rates than those situated in smaller cities or rural districts.

The hospitals for the criminal insane have low death rates on account of the small number of elderly patients admitted. The criminal insane average much younger than the civil insane.

The authors regret that comparisons of rates of mental diseases based on general population in the several states cannot be included in this study. It is hoped that complete reports from all of the state hospitals for mental diseases in the United States may be secured in the near future and that a nation-wide summary may be prepared each year. The social significance of mental disease is so great that adequate knowledge of the problem as related to the several states and to the country as a whole is essential.

Table 1. Patients, physicians, and employees of 73 state hospitals for mental diseases in the United States, at the end of the fiscal year 1920

STATE HOSPITAL	Date of opening	Patients excluding paroles	Number of physicians	Number of patients to each physician	EMPLOYEES			Number of patients to each employee	Number of patients to each nurse and attendant
					Nurses and attendants	Others	Total		
Total	113,195	517	218.9	8,733	8,087	16,820	6.7	13.0
CALIFORNIA									
Mendocino (Talmage)	1893	1,218	4	304.5	84	64	148	8.2	14.5
COLORADO									
State Hospital (Pueblo)	1879	2,010	5	402.0	107	68	175	11.5	18.8
CONNECTICUT									
State Hospital (Middletown)	1868	2,579	13	198.4	196	193	389	6.6	13.2
INDIANA									
Central (Indianapolis)	1848	1,401	8	175.1	114	116	230	6.1	12.3
Eastern (Richmond)	1890	898	4	224.5	69	51	120	7.5	13.0
Northern (Logansport)	1888	1,006	6	167.7	74	59	133	7.6	13.6
Southeastern (Madison)	1910	1,217	5	243.4	76	76	152	8.0	16.0
IOWA									
Cherokee	1902	1,141	8	142.6	94	96	190	6.0	12.1
Clarinda	1888	1,169	4	292.3	84	58	142	8.2	13.9
Independence	1873	1,108	5	221.6	85	66	151	7.3	13.0
Mount Pleasant	1861	1,133	6	188.8	64	73	137	8.3	17.7
MAINE									
Augusta	1840	1,131	5	226.2	98	108	206	5.5	11.5
Bangor	1901	681	5	136.2	67	87	154	4.4	10.2
MARYLAND									
Spring Grove (Catonsville)	1797	772	4	193.0	53	41	94	8.2	14.6

Table 1. Patients, physicians, and employees of 73 state hospitals for mental diseases in the United States, at the end of the fiscal year 1920—(Continued)

STATE HOSPITAL	Date of opening	Patients excluding paroles	Number of physicians	Number of patients to each physician	EMPLOYEES			Number of patients to each employee	Number of patients to each nurse and attendant
					Nurses and attendants	Others	Total		
MASSACHUSETTS									
Boston	1839	1,763	10	176.3	182	145	327	5.4	9.7
Danvers (Hathorne)	1878	1,567	7	223.9	141	138	279	5.6	11.1
Foxborough	1914	499	4	124.8	49	74	123	4.1	10.2
Gardner	1902	815	4	203.5	70	90	160	5.1	11.6
Grafton (Worcester)	1877	1,385	4	346.3	104	137	241	5.7	13.3
Medfield (Harding)	1896	1,528	8	191.0	156	130	286	5.3	9.8
Northampton	1858	1,219	5	243.8	42	67	109	11.2	29.0
Infirmary (Tewksbury)	1856	690	11	62.7	179	204	383	1.8	3.9
Taunton	1854	1,276	6	212.7	105	104	209	6.1	12.2
Westborough	1886	1,312	6	218.7	129	125	254	5.2	10.2
Worcester	1833	2,020	9	224.4	196	173	369	5.5	10.3
MICHIGAN									
Ionia	1885	533	3	177.7	27	54	9.9	19.7	
Kalamazoo	1859	2,177	10	217.7	182	178	360	6.0	12.0
Pontiac	1878	1,493	5	298.6	133	101	234	6.4	11.2
NEBRASKA									
Hastings	1889	1,160	5	232.0	107	46	153	7.6	10.8
Lincoln	1873	903	4	225.8	70	42	112	8.1	12.9
NEW HAMPSHIRE									
State Hospital (Concord)	1842	1,316	8	164.5	75	172	247	5.3	17.5
NEW JERSEY									
Morris Plains	1876	2,694	9	299.3	134	206	340	7.9	20.1
Trenton	1848	1,918	15	127.9	113	140	253	7.6	17.0

Table 1. Patients, physicians, and employees of 73 state hospitals for mental diseases in the United States, at the end of the fiscal year 1920—(Continued)

STATE HOSPITAL	Date of opening	Patients excluding paroxysms	Number of physicians	Number of patients to each physician	EMPLOYEES			Number of patients to each employee	Number of patients to each nurse and attendant
					Nurses and attendants	Others	Total		
NEW YORK									
Binghamton	1881	2,641	10	264.1	270	164	434	6.1	9.8
Brooklyn	1895	1,139	9	126.6	67	124	191	6.0	17.3
Buffalo	1880	2,147	11	194.2	162	196	358	6.0	13.3
Central Islip	1896	5,327	22	242.1	341	289	630	8.5	15.6
Dannemora	1900	520	4	130.0	67	47	114	4.6	7.8
Gowanda Homeopathic (Collins)	1898	1,232	7	176.0	89	92	181	6.8	13.8
Hudson River (Poughkeepsie)	1871	3,442	15	229.5	315	251	566	6.1	10.3
Kings Park	1896	4,283	17	251.9	322	306	628	6.8	13.3
Manhattan (Ward's Island)	1896	5,660	28	202.1	357	374	731	7.7	15.9
Matteawan (Beacon)	1859	860	6	143.3	119	59	178	4.8	7.2
Middletown Homeopathic	1874	2,069	8	258.6	161	171	332	6.2	12.9
Rochester	1891	1,572	9	174.6	153	135	288	5.5	10.3
St. Lawrence (Ogdensburg)	1890	2,227	10	222.7	265	159	424	5.3	8.4
Utica	1843	1,672	12	139.3	137	162	299	5.6	12.2
Willard	1869	2,437	10	243.7	193	239	432	5.6	12.6
NORTH CAROLINA									
State Hospital (Morganton)	1883	1,321	3	440.3	104	96	200	6.6	12.7
OHIO									
Athens	1874	1,280	4	320.0	75	84	159	8.1	17.1
Cleveland	1855	1,735	5	347.0	100	59	159	10.9	17.4
Columbus	1858	1,912	6	318.7	122	111	233	8.2	15.7
Dayton	1855	1,297	4	324.3	98	70	168	7.7	13.2
Lima	1915	844	3	281.3	85	48	133	6.3	9.9
Longview (Cincinnati)	1861	1,482	5	296.4	91	50	141	10.5	16.3
Massillon	1898	1,862	5	372.4	109	51	160	11.6	17.1
Toledo	1888	1,912	5	382.4	114	97	211	9.1	16.8

Table 1. Patients, physicians, and employees of 73 state hospitals for mental diseases in the United States, at the end of the fiscal year 1920—(Concluded)

STATE HOSPITAL	Date of opening	Patients excluding paroles	Number of physicians	Number of patients to each physician	EMPLOYEES			Number of patients to each employee	Number of patients to each nurse and attendant
					Nurses and attendants	Others	Total		
OREGON									
Eastern (Pendleton)	1913	488	3	162.6	27	23	50	9.8	18.1
PENNSYLVANIA									
Harrisburg	1851	1,188	6	198.0	89	78	167	7.1	13.3
Homeopathic (Allentown)	1912	1,151	7	164.4	87	106	193	6.0	13.2
Asylum (Wernersville)	1893	907	3	302.3	68	71	139	6.5	13.3
State Hospital (Danville)	1872	1,710	8	213.8	143	116	259	6.6	12.0
State Hospital (Norristown)	1880	2,895	11	263.2	222	233	455	6.4	13.0
Criminal (Waymart)	1912	501	4	125.2	34	62	96	5.2	14.7
Western (Torrance)	1919	111	1	111.0	13	40	53	2.1	8.5
RHODE ISLAND									
State Hospital (Howard)	1870	1,357	7	193.9	130	52	182	7.5	10.4
SOUTH DAKOTA									
Yankton	1879	1,085	4	271.3	55	81	136	8.0	19.7
VERMONT									
Eastern (Bearden)	1886	751	5	150.2	65	43	108	7.0	11.6
TEXAS									
Southwestern (San Antonio)	1892	1,917	6	319.5	105	87	192	10.0	18.3
VERMONT									
State Hospital (Waterbury)	1891	724	4	181.0	70	60	130	5.6	10.3
VIRGINIA									
Central (Petersburg)	1869	1,766	6	294.3	108	65	163	10.8	16.4
Southwestern (Marion)	1887	727	4	181.8	57	46	103	7.1	12.8
WASHINGTON									
Western (Fort Steilacoom)	1871	1,312	5	262.4	85	45	130	10.1	15.4

Table 2. Expenditures for maintenance in 72 state hospitals for mental diseases, for the fiscal year 1920, with per capita expenditures in 1918

STATE HOSPITAL	Average daily population 1920	EXPENDITURES FOR MAINTENANCE 1920		Per capita 1918
		Amount	Per capita	
ARIZONA				
State Hospital (Phoenix)	519	\$ 136,179.54	\$262.39	*
CALIFORNIA				
Mendocino (Talmage)	1,158	322,513.22	278.51	\$211.56
COLORADO				
State Hospital (Pueblo)	1,968	439,155.08	223.15	214.47
CONNECTICUT				
State Hospital (Middletown) ..	2,599	853,863.39	328.54	292.59
INDIANA				
Central (Indianapolis)	1,395	545,145.94	390.79	298.74
Eastern (Richmond)	884	249,916.22	282.71	234.96
Northern (Logansport)	967	289,239.66	299.11	252.22
Southeastern (Madison)	1,190	301,698.86	253.53	216.36
IOWA				
Cherokee	1,123	336,161.24	299.34	201.59
Clarinda	1,129	358,845.71	317.84	206.18
Independence	1,102	315,877.35	286.64	210.86
Mount Pleasant	1,130	366,102.39	323.98	207.34
MAINE				
Augusta	1,120	384,172.09	343.01	295.17
Bangor	688	317,937.48	462.12	310.00
MARYLAND				
Spring Grove (Catonsville)	775	206,680.18	266.68	261.27
MASSACHUSETTS				
Boston†	1,814	854,689.01	471.16	480.98
Danvers (Hathorne)	1,873	588,640.97	314.28	370.41
Gardner	811	315,203.67	388.66	323.71
Grafton (Worcester)	1,478	537,132.09	363.42	338.24
Medfield (Harding)	1,615	593,486.49	367.48	313.88
Northampton	1,008	350,514.01	347.73	312.39
Taunton	1,313	471,537.43	359.13	338.47
Westborough	1,282	556,826.37	434.34	401.11
Worcester	1,914	677,295.88	353.86	318.60
MICHIGAN				
Ionia	522	184,732.00	353.89	272.80
Pontiac	1,497	605,088.84	404.20	285.77
NEBRASKA				
Hastings	1,142	336,876.76	294.99	‡227.90
Lincoln	862	289,131.40	335.42	219.48
NEW HAMPSHIRE				
State Hospital (Concord)	1,304	458,390.71	351.53	305.04
NEW JERSEY				
Morris Plains	2,668	901,948.18	338.06	295.25
Trenton	1,873	619,725.44	330.87	279.13
NEW YORK				
Binghamton	2,700	885,995.52	328.15	260.71
Brooklyn	1,090	396,447.30	363.71	323.56
Buffalo	2,163	667,268.47	308.49	266.44
Central Islip	5,330	1,586,714.96	297.70	249.95

* Data not available. † Includes Psychopathic Department. ‡ Estimated.

Table 2. Expenditures for maintenance in 72 state hospitals for mental diseases, for the fiscal year 1920, with per capita expenditures in 1918—(Concluded)

STATE HOSPITAL	Average daily population 1920	EXPENDITURES FOE MAINTENANCE 1920		Per capita 1918
		Amount	Per capita	
NEW YORK (Concluded)				
Dannemora	525	\$226,569.58	\$431.56	\$335.79
Gowanda Homeopathic (Collins)	1,250	413,616.64	330.89	249.93
Hudson River (Poughkeepsie)	3,423	1,204,486.67	351.88	280.94
Kings Park	4,384	1,381,992.39	315.24	249.08
Manhattan (Ward's Island)	5,427	1,783,048.88	328.55	268.62
Matteawan (Beacon)	903	351,575.45	389.34	302.67
Middletown Homeopathic	2,091	610,786.61	292.10	243.90
Rochester	1,556	565,638.81	363.52	269.59
St. Lawrence (Ogdensburg)	2,215	712,652.98	321.74	256.25
Utica	1,662	565,446.76	340.22	261.99
Willard	2,427	787,372.53	324.42	273.20
NORTH CAROLINA				
State Hospital (Morganton)	1,313	370,526.53	282.20	231.50
OHIO				
Athens	1,282	378,725.76	295.42	195.06
Cleveland	1,814	400,648.44	220.86	194.72
Columbus	1,882	472,366.87	250.99	198.27
Dayton	1,210	317,433.79	262.34	204.81
Lima	850	237,844.32	279.82	242.94
Longview (Cincinnati)	1,486	350,515.75	235.88	184.17
Massillon	1,808	409,610.10	226.55	175.64
Toledo	1,855	494,808.74	266.74	226.73
OREGON				
Eastern (Pendleton)	492	121,806.86	247.57	‡215.02
PENNSYLVANIA				
Harrisburg	1,162	336,983.99	290.00	269.02
Homeopathic (Allentown)	1,111	364,372.62	327.97	266.44
Asylum (Wernersville)	913	302,982.39	331.85	208.51
State Hospital (Danville)	1,705	563,949.81	330.76	266.18
State Hospital (Norristown)	2,874	779,844.48	271.34	298.41
Criminal (Waymart)	447	211,071.20	472.20	383.23
Western (Torrance)	76	26,885.40	353.76	§
RHODE ISLAND				
State Hospital (Howard)	1,376	462,936.79	336.44	257.77
SOUTH CAROLINA				
State Hospital (Columbia)	2,180	703,140.86	322.54	237.95
SOUTH DAKOTA				
Yankton	1,112	362,024.83	325.56	242.50
TENNESSEE				
Eastern (Bearden)	740	139,820.27	188.95	200.91
VERMONT				
State Hospital (Waterbury)	722	205,751.12	284.97	276.10
 VIRGINIA				
Central (Petersburg)	1,725	430,201.32	249.39	176.90
Eastern (Williamsburg)	897	187,736.09	209.29	191.28
Southwestern (Marion)	715	149,587.52	209.21	186.35
WASHINGTON				
Western (Fort Steilacoom)	1,362	302,961.44	222.44	‡171.81
Total	110,978	\$34,988,858.44	\$315.28	\$261.79

‡ Estimated.

§ Not open in 1918.

Table 3. Movement of patient population in 77 state hospitals for mental diseases in the United States, for the fiscal year 1920

STATE HOSPITAL	ADMISSIONS			DISCHARGED DURING YEAR			Total Deceased	Transferred As discharged or transferred or improved	On books at end of year			
	First admissions	Readmissions	Transfers received	Discharged during year								
				Total received	As recovered	As nonimproved or discharged or transferred						
ARIZONA State Hospital (Phoenix)	526	202	10	212	738	27	70	13	85			
CALIFORNIA Mendocino (Talmage) ..	1,102	361	47	411	1,513	76	49	28	77			
COLORADO State Hospital (Pueblo)	1,926	433	18	451	2,377	61	69	23	9			
CONNECTICUT State Hospital (Middletown) ..	2,685	344	115	23	482	3,167	76	114	52			
INDIANA Central (Indianapolis) ...	1,474	193	37	230	1,704	42	89	5	106			
Eastern (Richmond) ...	911	111	26	137	1,048	34	34	1	61			
Northern (Logansport) ..	1,087	163	31	194	1,281	17	84	33	2			
Southeastern (Madison) ..	1,239	208	46	1	255	1,494	22	70	10			
IOWA Cherokee	1,352	219	35	2	256	1,608	62	181	6			
Clarinda	1,362	267	40	11	318	1,680	90	7	49			
Independence	1,411	279	37	5	321	1,732	69	16	95			
Mount Pleasant	1,382	205	40	...	245	1,627	53	4	4			
MAINE Augusta	1,198	290	59	...	349	1,547	54	75	26			
Bangor	828	217	37	8	262	1,090	46	78	41			
MARYLAND Spring Grove (Catonsville) ..	779	106	48	44	198	977	51	14	38			
MASSACHUSETTS Boston	1,887	157	45	359	561	2,448	61	95	27			
Bridgewater	837	52	16	2	70	907	9	13	11			

Table 3. Movement of patient population in 77 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Continued)

STATE HOSPITAL	ADMISSIONS			DISCHARGED DURING YEAR			Total	On books at end of year
	First admissions	Readmissions	Total received	As recovered	As unapproved	Transferred		
MASSACHUSETTS (Concluded)								
Danvers	1,844	463	137	14	614	2,458	51	202
Foxborough	515	77	27	17	121	636	8	37
Gardner	885	48	31	87	972	3	9	1
Grafton (Worcester)	9,907	16	14	50	80	1,987	...	6
Medfield (Harding)	1,604	60	34	95	189	1,793	10	25
Northampton	1,216	332	94	2	428	1,644	72	40
Infirmary (Tewksbury)	7,222	30	5	24	59	781	...	7
Taunton	1,565	328	74	6	408	1,973	52	37
Westborough	1,567	242	99	15	356	1,923	40	189
Worcester	1,871	371	119	439	929	2,800	58	50
MICHIGAN								
Ionia	506	47	6	9	62	568	5	4
Kalamazoo	2,174	548	140	17	705	2,879	56	77
Pontiac	1,496	281	105	31	417	1,913	63	84
NEBRASKA								
Hastings	1,260	127	37	1	165	1,425	22	21
Lincoln	899	255	30	...	285	1,184	1	64
NEW HAMPSHIRE								
State Hospital (Concord)	1,372	268	68	...	336	1,708	49	66
NEW JERSEY								
Morris Plains	2,669	483	110	12	605	3,274	170	126
Trenton	2,057	625	125	...	750	2,807	332	68
NEW YORK								
Binghamton	2,794	214	87	14	315	3,109	69	79
Brooklyn	1,090	725	169	58	952	2,042	136	123
Buffalo	2,392	351	89	18	458	2,855	77	99
Central Islip	5,441	1,181	354	115	1,650	7,091	258	361

Table 3. Movement of patient population in 77 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Continued)

STATE HOSPITAL	ADMISSIONS			DISCHARGED DURING YEAR			TOTAL		
	FIRST		Transfers	READEMISSIONS		As without psychotics	TRANSFERRED		On books at beginning of year
	On books at beginning of year	On books at end of year		Total received during year	As improved		As improved	Died	
NEW YORK (Concluded)									
Dannemora	530	57	8	65	595	45	10	7	75
Gowanda Homeopathic (Collins)	1,291	179	61	242	1,533	71	68	25	259
Hudson River	3,444	473	144	94	711	4,205	145	38	3,562
Kings Park	4,775	650	235	51	936	5,711	210	280	4,797
Manhattan (Ward's Island)	5,874	1,435	421	159	2,015	7,889	357	401	1,844
Matteawan (Beacon)	892	92	32	3	127	1,019	27	35	860
Middletown Homeopathic	2,184	173	76	11	260	2,444	60	48	2,177
Rochester	1,708	352	93	13	458	2,166	92	115	394
St. Lawrence (Ogdensburg)	2,260	212	78	42	332	2,592	72	47	1,772
Utica	1,759	310	58	24	392	2,161	101	56	310
Willard	2,555	318	73	150	541	3,076	89	52	144
North Carolina State Hospital (Morgan- ton)	1,564	269	67	1	337	1,901	46	49	10
Ohio									123
Athens	1,325	211	42	1	254	1,579	79	62	6
Cleveland	1,896	483	163	1	646	2,542	92	244	56
Columbus	1,999	494	99	2	595	2,594	97	125	71
Dayton	1,280	326	53	1	380	1,660	35	148	19
Lima	865	50	1	38	89	954	22	10	2
Longview (Cincinnati)	1,481	343	72	1	415	1,896	12	78	18
Massillon	1,907	519	108	1	627	2,534	168	173	6
Toledo	1,965	468	126	1	595	2,560	139	173	60
Oregon									234
Eastern (Pendleton)	498	84	23	107	605	27	8	4	53
									92
									513

Table 3. Movement of patient population in 77 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Concluded)

STATE HOSPITAL	ADMISSIONS		DISCHARGED DURING YEAR				On books at end of year
	First admissions	Readmissions	Total received	As recovered	As unimproved or unassimilated	As withdrawn	
PENNSYLVANIA							
Harrisburg	1,281	228	37	22	287	1,568	42
Hospoepathic (Allentown)	1,179	296	58	13	367	1,546	79
Asylum (Wernersville)	941	18	18	959	...
State Hospital (Danville)	1,726	286	28	...	314	2,040	42
State Hospital (Norristown)	...	3,008	446	34	83	563	3,571
Criminal (Waymart)	...	443	58	...	62	120	563
Western (Torrance)	120	120	120
RHODE ISLAND							
State Hospital (Howard)	1,688	335	54	...	389	2,077	57
SOUTH CAROLINA							
State Hospital (Columbia)	2,180	639	175	...	814	2,994	105
SOUTH DAKOTA							
Yankton	...	1,125	201	9	...	210	1,335
TENNESSEE							
Eastern (Bearden)	710	269	108	...	377	1,087	19
TEXAS							
Southwestern (San Antonio)	...	2,134	267	63	4	334	2,468
VERMONT							
State Hospital (Waterbury)	...	711	154	49	...	203	914
VIRGINIA							
Central (Petersburg)	1,817	411	75	...	486	2,303	94
Eastern (Williamsburg)	887	230	53	2	285	1,172	38
Southwestern (Marion)	780	226	60	...	286	1,066	98
WASHINGTON							
Western (Fort Steilacoom)	...	1,476	369	32	...	401	1,877

Table 4. Psychoses of first admissions to 72 state hospitals for mental diseases in the United States, for the fiscal year 1920

* Includes two transfers.

Table 4. *Psychoses of first admissions to 72 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	Total	With somatic diseases	Without somatic diseases	3,366	683	5,676	594	560	435	492	680	595	730
ARIZONA													
State Hospital (Phoenix)	19	34	56	2	3	3	3	3	23	20
CALIFORNIA	6	59	1	124	1	6	12	33	30	1	1	10	
Mendocino (Talmage)													
COLORADO	1	49	10	90	9	31	3	3	5	5	5	31	
State Hospital (Pueblo)													
CONNECTICUT	18	28	11	113	10	7	5	6	12	9	15		
State Hospital (Middletown)													
INDIANA	10	43	10	66	6	2	7	4	5	5	5	5	
Central (Indianapolis)													
Eastern (Richmond)	4	41	6	23	2	2	2	2	6	6	6	6	
Northern (Logansport)	5	16	12	36	8	2	2	2	2	14	4	
Southeastern (Madison)	5	40	3	52	1	7	2	2	2	2	14	1	
IOWA													
Cherokee	5	35	1	70	3	8	1	9	12	7	7	4	
Clarinda	7	66	26	50	4	10	4	5	5	5	5	5	
Independence	18	54	16	93	3	11	1	8	8	8	8	
Mount Pleasant	37	10	71	1	8	1	1	1	5	1	
MAINE													
Augusta	9	57	7	37	12	15	14	2	14	8	8	34	
Bangor	8	16	8	26	4	10	9	2	5	11	11	61	
MARYLAND													
Spring Grove (Catonsville)	24	1	26	1	3	1	1	5	5	5	3	
MASSACHUSETTS													
Boston	6	11	2	21	13	2	2	2	1	4	3	3	
Bridgewater	5	16	3	2	2	2	11	

Table 4. *Psychoses of first admissions to 72 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	Total	Tran-	ma-lic	Senile	With cerebral syphilis	With Hun-ting-ton's chorea	With other brain tumor	With other nervous diseases	Alcoholic	Due to drugs and other exogenous factors	With pe-destri-al poisons	With pe-destri-al poisons
MASSACHUSETTS (Concluded)												
Danvers (Hathorne)	463	1	58	43	47	2	4	5	23	6	2
Foxborough	77	1	3	2	5	5	1	1	3	1	1
Gardner	48	10	5	1
Grafton (Worcester)	16	3	3
Medfield (Harding)	60	8	1	4	1	7	23	3	2
Northampton	332	33	24	14	5	1
Infirmary (Tewksbury)	30	11	4	1
Taunton	328	1	55	30	35	1	1	8	1
Westborough	242	29	27	11	1	1	1	3
Worcester	371	1	33	76	34	2	1	14	1
Michigan												
Ionia	47	2	1	2	1	3	1
Pontiac	281	34	18	41	6
NEBRASKA												
Hastings	127	1	24	2	3	5
Lincoln	255	43	1	44
NEW HAMPSHIRE												
State Hospital (Concord)	268	1	50	29	20	4	1	12	3
NEW JERSEY												
Morris Plains	483	1	53	14	45	1	4	5	1
Trenton	625	3	45	46	46	1	22	2
NEW YORK												
Binghamton	214	3	32	24	25	4	1	1	1	1	1
Brooklyn	725	1	137	112	76	6	1	1	11	20	3	1
Buffalo	351	1	24	29	43	5	3	9	1	2

Table 4. *Psychoses of first admissions to 72 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	With other emotional diseases	Matric- depressive involition	Dementia precox	Preranitic or periodic conditions	Epileptic psychoses	Psychotic neuroses	With psychotic personality	With mental degeneracy	Undiag- nosed psychoses	Without psychoses
MASSACHUSETTS (Continued)										
Danvers (Hathorne)	18	51	9	120	6	7	5	9	27	9
Foxborough	5	1	2	21	2	2	2	5	21	11
Gardner	2	12	12	12	1	1	1	1	1	4
Grafton (Worcester)	2	12	23	3	12	1	1	1	1	1
Medfield (Harding)	18	49	6	96	6	6	3	10	12	14
Northampton	5	13	10	119	3	4	5	4	14	12
Infirmary (Tewksbury)	4	41	6	79	2	2	3	1	5	19
Taunton	9	23	15	99	3	6	8	8	17	8
Westborough	1	3	16	3	2	1	9	1	13	7
Worcester	7	29	60	18	1	24	2	3	3	19
MICHIGAN										
Ionia	3	1	1	1	1	1	1	1	1	7
Pontiac	2	48	1	59	23	17	1	1	12	3
NEBRASKA										
Hastings	3	29	31	3	5	3	9	1	3	5
Lincoln	7	33	13	33	8	10	9	2	8	3
NEW HAMPSHIRE										
State Hospital (Concord)	4	170	8	129	26	15	3	7	40	21
NEW JERSEY										
Morris Plains	38	181	1	59	47	15	24	3	40	32
Trenton	1	27	9	49	6	2	6	6	6	5
NEW YORK										
Binghamton	45	114	12	96	3	24	4	22	14	21
Brooklyn	8	51	11	105	4	9	7	4	8	8

Table 4. *Psychoses of first admissions to 72 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Continued)*

Table 4. *Psychoses of first admissions to 72 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	With other somatic diseases	Manic- depressive diseases	Involutional chorea	Paranoid dementia	Prerational or paroxysmal epileptic conditions	Psychotic neuroses and neurosis-like psychoses	With psychotic personality	With mental degeneracy	Duolige- nosed psychoses	Withinout psychotics
NEW YORK (Concluded)										
Central Islip	13	150	25	511	2	29	8	34	41	26
Dannemora	1	6	...	24	2	1	...	10	1	6
Gowanda Homeopathic (Collins)	2	23	11	43	7	1	...	13	7	7
Hudson River (Poughkeepsie)	10	22	14	140	4	8	8	18	6	36
Kings Park	10	120	14	239	11	19	25	26	13	25
Manhattan (Ward's Island)	47	187	39	456	10	23	14	21	22	100
Matteawan (Beacon)	1	8	...	25	1	4	...	5	6	...
Middletown Homeopathic	4	33	11	26	6	2	17	7	10	5
Rochester	7	26	30	115	24	9	10	2	9	11
St. Lawrence (Ogdensburg)	11	25	13	37	7	4	13	10	11	8
Utica	9	41	25	70	...	8	8	15	7	14
Willard	17	63	21	40	15	11	8	2	13	1
NORTH CAROLINA										
State Hospital (Morganton)	9	5	69	13	94	4	18	2	...	1
Ohio										6
Athens	2	33	6	57	...	1	3	...	2	4
Cleveland	14	53	10	184	11	...	2	4	7	5
Columbus	17	35	11	110	22	3	9	5	18	...
Dayton	35	35	20	54	6	2	12	11	3	37
Lima	2	...	13	4	...	1	4	7
Longview (Cincinnati)	...	45	8	76	17	6	4	25	25	1
Massillon	11	117	22	107	40	4	8	16	2	...
Toledo	7	30	18	129	7	7	11	18
OREGON										65
Eastern (Pendleton)	3	14	...	7	15	7	2	1	1	5

Table 4. *Psychoses of first admissions to 72 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Continued)*

STATE HOSPITAL		Total	Senile dementia	General paralysis	With cerebral arteriosclerosis	With cerebral atrophy	With tubercular syphilis	With tubercular chorea	With brain tumor	With other diseases of the nervous system	Alcoholic	Due to other drugs and excessive toxins	With ether
PENNSYLVANIA													
Harrisburg		228	23	8	35	1	5	1
Homeopathic (Allentown)		296	28	19	29	1	9	3
State Hospital (Danville)		286	1	42	9	16	2	1	2	2
RHODE ISLAND		335	1	25	37	29	19	1	14	4
State Hospital (Howard)		639	88	34	22	2	2	1	5	19
SOUTH CAROLINA		201	29	2	5	1	2	1	2
State Hospital (Columbia)		269	39	3	3	2	8	28
SOUTH DAKOTA		267	1	32	26	4	2	5	4
Yankton		154	1	29	11	7	2	1
TENNESSEE		411	2	61	5	8	9	1	5	3	2
TEXAS		230	30	2	8	3	4	4	12	6
SOUTHWESTERN (SAN ANTONIO)		226	1	17	1	4	4	1	2	4	1	1	4
VERMONT		369	1	54	9	24	9	1	3	1
VIRGINIA		369	1	54	9	24	9	1	3	1
Central (Petersburg)		411	2	61	5	8	9	1	5	3	2
Eastern (Williamsburg)		230	30	2	8	3	4	4	12	6
SOUTHWESTERN (MARION)		226	1	17	1	4	4	1	2	4	1	1	4
WASHINGTON		369	1	54	9	24	9	1	3	1
Western (Fort Steilacoom)		369	1	54	9	24	9	1	3	1

Table 4. *Psychoses of first admissions to 72 state hospitals for mental diseases in the United States, for the fiscal year 1920—(Concluded)*

STATE HOSPITAL	With other somatic diseases	Menstrual	Depressive	Involuntion	Dementia	Paranoia	Psychoses and neuroses	With psychopathic personality	With mental deficiency	With psychopathic personality	With psychopathic personality	Without psychosis
PENNSYLVANIA	6	51	2	45	2	9	6	2	15	8	9	
Harrisburg	8	50	8	82	1	14	7	1	10	21	6	
Homeopathic (Allentown)	4	68	14	79	...	12	2	24	4	3	3	
State Hospital (Danville)	
RHODE ISLAND	5	21	...	118	1	13	8	1	8	18	12	
State Hospital (Howard)	
SOUTH CAROLINA	21	39	5	272	1	29	8	...	19	10	62	
State Hospital (Columbia)	
SOUTH DAKOTA	11	49	12	62	4	4	10	1	1	1	...	5
Yankton	
TENNESSEE	7	70	10	44	11	10	3	1	8	15	7	
Eastern (Bearden)	
TEXAS	14	64	9	64	3	2	1	6	16	6	8	
Southwestern (San Antonio)	
VERMONT	10	19	3	26	4	15	3	1	11	4	7	
State Hospital (Waterbury)	
VIRGINIA	26	114	...	83	21	31	2	1	26	3	8	
Central (Petersburg)	10	61	...	33	5	6	10	4	7	4	21	
Eastern (Williamsburg)	16	61	3	29	1	7	12	6	17	1	34	
Southwestern (Marion)	
WASHINGTON	
Western (Fort Steilacoom)	127	16	77	5	5	3	4	9	...	11	...	

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920*

STATE HOSPITAL	COUNTRY OF BIRTH										
	United States	Australia	Belgium	Czechoslovakia	Denmark	England	Finland	France	Germany	Switzerland	
Total	21,104	14,006	597	24	37	562	47	71	390	72	83
ARIZONA											
State Hospital (Phoenix)	202	123	1	1	5	1	2
CALIFORNIA											
Mendocino (Talmage)	361	250	2	1	5	7	3	3	4
COLORADO											
State Hospital (Pueblo)	433	296	13	1	3	5	11	1
CONNECTICUT											
State Hospital (Middletown)	344	197	14	3	2	6	2	2
INDIANA											
Central (Indianapolis)	193	177	2
Eastern (Richmond)	111	110	11	1	1	3
Northern (Logansport)	163	118	11	1
Southeastern (Madison)	208	203	1
IOWA											
Cherokee	221*	156	2	1	6	5	5	1
Clarinda	267	235	4	10	2	6	3
Independence	279	206	1	3	4	1
Mount Pleasant	205	150	3
MARYLAND											
Augusta	290	234	1	27	5	1	1
Bangor	217	175	20	7	1
Spring Grove (Catonsville)	106	76	2	2	2

* Includes two transfers.

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	COUNTRY OF BIRTH										
	Germany	Greece	Holland	Hungary	Ireland	Italy	Latvia	Norway	Poland	Portugal	Romania
Total	773	89	33	277	869	847	163	88	321	28	53
ARIZONA											
State Hospital (Phoenix)	1	1	2	47	1	2
CALIFORNIA											
Mendocino (Talmage)	13	2	1	5	19	4	5	1	1	1
COLORADO											
State Hospital (Pueblo)	10	1	1	2	7	8	11	4	3	1
CONNECTICUT											
State Hospital (Middletown)	13	1	1	19	22	24	1
INDIANA											
Central (Indianapolis)	1	1	1	1	1	1
Eastern (Richmond)	1	5	1	5	2	1	1
Northern (Logansport)	8	3
Southeastern (Madison)
IOWA											
Cherokee	13	2	2	1	1	8
Clarinda	5	1	1	1
Independence	20	2	3	1	3
Mount Pleasant	41	2	1	1
MAINE											
Augusta	1	4	1	2	2
Bangor	1	1
MARYLAND											
Spring Grove (Catonsville)	12	6	3

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	COUNTRY OF BIRTH										
	Total	United States	Austria	Belgium	Bohemia	Canada	Czechoslovakia	Denmark	England	Finland	France
MASSACHUSETTS											
Boston	157	79	2			20				3	
Bridgewater	52	33							2		
Danvers (Hathorne)	463	257	2	2		54	1	12	5	1	
Foxborough	77	48							2		
Gardner	48	28	1			5		1			
Grafton (Worcester)	16	10				2					
Medfield (Harding)	60	30	1			6					
Northampton	332	200	11			29		1		1	
Infirmary (Tewksbury)	30	15	1			2					
Taunton	328	188		1		30			22		
Westborough	242	150	1			23		1	10	4	
Worcester	371	173	2			43			9	6	
MICHIGAN											
Ionia	47	31				2					
Pontiac	281	181	9			34	1		9		1
NEBRASKA											
Hastings	127	92	1			1		19	2	1	
Lincoln	255	156	8			6			4		1
NEW HAMPSHIRE											
State Hospital (Concord)	268	186		1		42				6	4
NEW JERSEY											
Morris Plains	483	254	28	2	2	3		6	14	4	
Trenton	625	420	24	1		2		6	9		1

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	COUNTRY OF BIRTH								
	Germany	Greece	Holland	Ireland	Italy	Mexico	Norway	Poland	Portugal
MASSACHUSETTS									
Boston	2	1	1	30	4			2	
Bridgewater	1	6	42	2	17		10	2	
Danvers (Hathorne)	8	2		4	6			2	1
Foxborough				3	3		1		
Gardner				2	1				
Grafton (Worcester)				4	2			2	1
Medfield (Harding)	1	1		27	12			14	
Northampton	7	1		4	3			1	1
Infirmary (Tewksbury)				17	10			4	5
Taunton	2	1	1	24	6		1	1	
Westborough			1	44	12			8	4
Worcester		8	3						
MICHIGAN									
Ionia		1		1	1	1			3
Pontiac	14	1		4	3	4			5
NEBRASKA									
Hastings	9			5	6		2	1	3
Lincoln		13					2	4	
NEW HAMPSHIRE									
State Hospital (Concord)	1				8	4			4
NEW JERSEY									
Morris Plains	32	2	3	10	28	30	1	1	23
Trenton	26	1	1	35	20	30		1	14

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	COUNTRY OF BIRTH							ALIENS		
	Massachusetts	Scotland	Spain	Sweden	Switzerland	Land	Turkey	Other countries	Number	Per cent
MASSACHUSETTS										
Boston	7	1		2		2	2		38	24.2
Bridgewater	3	5		9		1	1	2	13	25.0
Danvers (Hathorne)	21	5		3		3	6	2	74	16.0
Foxborough	2	1				1	3	1	12	15.6
Gardner	2							2	1	3
Grafton (Worcester)										6.2
Medfield (Harding)	4	1								37.5
Northampton	16	5		4		1	1	5	25	41.7
Infirmary (Tewksbury)	2			1					57	17.2
Taunton	7	5		7			1		8	26.7
Westborough	5	2		8		3	1	1	64	19.5
Worcester	25	3		11		10	2	3	53	21.9
MICHIGAN										
Aloma	3	1				1		1	13	27.7
Pontiac	8	3				1			3	18.9
NEBRASKA										
Lincoln										**
Hastings	4	1	2		4	1		4	5	11
NEW HAMPSHIRE										
State Hospital (Concord)									5	22
NEW JERSEY										
Morris Plains	22	5			4	2	1	1	4	88
Trenton	22	2			2	1	2	4		18.2

** Data not available.

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	COUNTRY OF BIRTH								
	Finland	Denmark	Norway	Sweden	Czechoslovakia	Bohemia	Austria	Belgium	Prussia
NEW YORK									
Binghamton	214	183	3	1	2	6	...
Brooklyn	725	330	23	1	3	22	1
Buffalo	351	197	7	1	17	12	1
Central Islip	1,181	487	86	4	18	11	4	27	4
Dannemora	57	28	2	1	5	...	1	2	...
Gowanda, Homeopathic (Collins)	179	114	10	...	6	...	1	1	...
Hudson River (Poughkeepsie)	473	342	4	...	3	...	2	9	4
Kings Park	650	346	22	...	11	11	7	23	8
Manhattan (Ward's Island)	1,435	537	100	1	1	1	...
Matteawan (Beacon)	92	37	6	1	3	...
Middletown, Homeopathic	173	136	2	1	1	...
Rochester	352	257	6	1	6	10	...
St. Lawrence (Ogdensburg)	212	159	2	...	23	...	1	3	...
Utica	310	237	4	...	4	...	1	5	...
Willard	318	252	7	...	6	...	1	9	1
NORTH CAROLINA								2	...
State Hospital (Morganton)	269	267
OHIO									
Athens	211†	205	1	1	1	1	...
Cleveland	483	237	51	1	14	7	...	6	...
Columbus	494	435	12	6	...	1	4
Dayton	327†	285	1	1	...
Lima	50	40	1	2
Longview (Cincinnati)	343	272	1	3

† Includes one transfer.

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	COUNTRY OF BIRTH										
	Germany	Greece	Holland	Hungary	Ireland	Italy	Mexico	Norway	Poland	Portugal	Roumania
NEW YORK											
Binghamton	2	2	1	1	7	2	3	3	7	1	3
Brooklyn	62	2	1	9	74	59	11	7	34	1	1
Buffalo	31	2	2	4	13	22	5	5	15	1	15
Central Islip	74	17	2	31	74	107	5	5	15	1	2
Dannemora	2	1	2	13	13	13	1	1	6	1	2
Gowanda Homeopathic (Collins)	8	1	2	7	9	27	1	15	11	1	1
Hudson River (Poughkeepsie)	11	1	11	29	29	46	15	9	1	1	2
Kings Park	30	3	2	3	43	46	152	5	25	2	6
Manhattan (Ward's Island)	96	11	2	45	149	152	3	1	1	1	1
Matteawan (Beacon)	4	1	2	1	15	15	1	1	1	1	1
Middletown Homeopathic	6	1	1	1	5	9	1	3	3	1	1
Rochester	17	1	12	12	22	22	1	6	6	1	1
St. Lawrence (Ogdensburg)	2	2	3	6	5	1	1	6	6	1	1
Utica	5	5	2	1	9	23	13	3	3	1	1
Willard	5	5	5	1	9	13	13	3	3	1	1
NORTH CAROLINA											
State Hospital (Morganton)											
OHIO											
Athens	21	6	37	14	17	1	16	1	16	5	5
Cleveland	6	6	5	5	5	4	4	4	4	1	1
Columbus	12	2	4	4	4	4	4	4	4	4	1
Dayton											
Lima											
Longview (Cincinnati)	26		3	3	3	3	7	11	3	3	1

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	COUNTRY OF BIRTH						ATHENS			
	Russia	Scotland	Spain	Sweden	Switzer- land	Turkey	West Indies	Other countries named	Number	Per cent
NEW YORK										
Binghamton	3	4	4	8	3	3	5	6	17	7.9
Brooklyn	76	2	2	2	6	3	1	4	3	172
Buffalo	106	4	7	12	6	3	22	19	2	67
Central Islip	6	2	1	8						430
Dannemora	4	2								36.4
Gowanda Homeopathic (Collins)	6	3	1	2						36.8
Hudson River (Poughkeepsie)	76	4	2	5	3	2	7	6	1	21
Kings Park	120	12	9	15	7	14	26	18	1	24
Manhattan (Ward's Island)	6	2	2	1	1	5	5	3		51
Matteawan (Beacon)	3	1					1		1	10.8
Middletown Homeopathic	8	3	1		1					5.2
Rochester	1	2	1		1					43
St. Lawrence (Ogdensburg)	6		1	1	1	1	1	1	1	14
Utica	2			1	1	1	4	1	1	14
Willard										37
NORTH CAROLINA										11.9
State Hospital (Morganton)										26
Ohio										8.2
Athens										2
Cleveland	32	2		3	1	1		7	2	22.5
Columbus	2				1			4	6	46.6
Dayton	2				1			1	9	1.4
Lima									9	8
Longview (Cincinnati)	11	1	1				1	2		2.4
								1	3	18.0

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

STATE HOSPITAL		COUNTRY OF BIRTH						Trade	
		Total	United States	Austria	Belgium	Czechoslovakia	Denmark	Ireland	
Ohio (Concluded)									
Massillon		519	338	43	3	2	4	11	8
Toledo		468	398	2	1	6	1	3	2
Oregon	Eastern (Pendleton)	84	60	2	1	1	1	1	1
PENNSYLVANIA	Harrisburg	228	198	3	1	1	1	1	1
	Homeopathic (Allentown)	296	237	13	1	1	1	2	2
	State Hospital (Danville)	286	232	16	1	1	1	1	1
RHODE ISLAND									
State Hospital (Howard)		335	181	6	1	23	1	27	2
SOUTH DAKOTA		201	138	4	1	3	3	4	3
Yankton		269	266	1	1	1	1	2	2
TENNESSEE	Eastern (Bearden)	267	157	1	1	1	1	3	3
TEXAS		154	129	1	1	1	1	1	1
SOUTHWESTERN (San Antonio)		154	129	1	1	1	1	1	1
VERMONT	State Hospital (Waterbury)	411	407	1	1	1	1	5	1
VIRGINIA	Central (Petersburg)	230	199	1	1	1	1	5	1
	Eastern (Williamsburg)	226	222	1	1	1	1	1	1
WASHINGTON	Southwestern (Marion)	369	224	13	1	19	3	9	13
	Western (Fort Steilacoom)	369	224	13	1	19	3	9	13

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Continued)*

STATE HOSPITAL	COUNTRY OF BIRTH									
	Germany	Greece	Holland	Hungary	Ireland	Italy	Mexico	Norway	Portugal	Romania
Ohio (Concluded)										
Massillon	9	4								
Toledo	21	1							
OREGON										
Eastern (Pendleton)	2								
PENNSYLVANIA										
Harrisburg	2	1							
Homeopathic (Allentown)	11	1							
State Hospital (Danville)	8								
RHODE ISLAND										
State Hospital (Howard)	3	1						
SOUTH DAKOTA										
Yankton	14	4						
TENNESSEE										
Eastern (Bearden)									
TEXAS										
Southwestern (San Antonio)	7								
VERMONT										
State Hospital (Waterbury)									
VIRGINIA										
Central (Petersburg)	3	1							
Eastern (Williamsburg)	1								
Southwestern (Marion)									
WASHINGTON										
Western (Fort Steilacoom)	10	1							

Table 5. *Nativity of first admissions to 71 state hospitals for mental diseases, and aliens among first admissions, for the fiscal year 1920—(Concluded)*

STATE HOSPITAL		COUNTRY OF BIRTH										ALIENS	
		Finland	Denmark	Sweden	Switzerland	England	West Indies	Other countries	Unscattered	Per cent	Number		
OHIO (Concluded)		9	2	3	4	1	1	4	1	126	24.3		
Massillon	3	1	2	5	4	6	1.3		
Toledo	1	1	1	1	3	8		
OREGON	2	1	3	5	16	7.0		
Eastern (Pendleton)	3	2	1	2	5	32	11.2		
PENNSYLVANIA	3	2	1	2	5	13	4.5		
Harrisburg	4	2	5	13	4.5		
Homeopathic (Allentown)	8	5	6	4	1	2	93	27.8		
State Hospital (Danville)	3	5	1	2	4	3	1.5		
RHODE ISLAND	2	11	84	31.5	
State Hospital (Howard)	2	6	3.9	
SOUTH DAKOTA	2	1	4	1.0
Yankton	2	1	10	4.3
TENNESSEE	2	1	1	0.4
TEXAS	6	15	56	15.2
Southwestern (San Antonio)	3	1	15	6	15	15.2
VERMONT	1	15	6	15	15.2
STATE Hospital (Waterbury)	15	6	15	15.2
VIRGINIA	15	6	15	15.2
Central (Petersburg)	7	1	2	1	4	4	1.0
Eastern (Williamsburg)	1	2	1	10	10	4.3
Southwestern (Marion)	2	1	1	0.4
WASHINGTON	9	1	15	1	15	6	15	15.2
Western (Fort Steilacoom)	15	6	15	15.2

Table 6. Age of first admissions to 70 state hospitals for mental diseases classified with reference to principal psychoses, for the fiscal year 1926

PSYCHOSIS	TOTAL			UNDER 15 YEARS			15-19 YEARS		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
Traumatic	45	2	47
Senile	1,177	1,292	2,469
With cerebral arteriosclerosis	809	532	1,341	1	2	1
General paralysis	1,794	380	2,174	2	4	2	6
With cerebral syphilis	145	81	226	1	1	2	2
With Huntington's chorea	15	20	35
With brain tumor	20	14	34
With other brain or nervous diseases	90	49	139	1	1	2	1
Alcoholic	407	63	470
Due to drugs and other exogenous toxins	50	51	101
With pellagra	24	58	82	2	2	2
With other somatic diseases	260	383	643	12	12	24
Manic-depressive	1,370	1,898	3,268	3	8	11	79	86	165
Involution melancholia	186	425	611
Dementia praecox	3,116	2,509	5,625	10	6	16	254	151	405
Paranoia or paranoid conditions	242	251	493	1	1	1
Epileptic psychoses	335	217	552	11	5	16	30	23	53
Psychoneuroses and neuroses	173	259	432	1	1	2	6	21	27
With psychopathic personality	292	193	485	3	2	5	41	23	64
With mental deficiency	364	284	648	16	9	25	58	33	91
Undiagnosed psychoses	301	294	595	1	1	2	17	12	29
Without psychosis	473	226	699	14	21	35	49	28	77
Total	11,688	9,481	21,169	63	55	118	553	397	950

Table 6. Age of first admissions to 70 state hospitals for mental diseases classified with reference to principal psychoses, for the fiscal year 1920—(Continued)

PSYCHOSES	20-24 YEARS			25-29 YEARS			30-34 YEARS			35-39 YEARS		
	Males	Females	Total									
Traumatic	2	2	4	4	4	7	7	7	7	7	7	7
Senile	3	2	5	3	1	4	4	3	7	9	6	15
With cerebral arteriosclerosis	11	8	19	65	20	85	190	38	228	366	73	439
General paralysis	5	2	7	9	6	15	15	12	27	23	8	31
With cerebral syphilis	1	2	2	1	1	1	1	1	1	2	1	3
With Huntington's chorea	1	1	2	1	2	3	1	1	1	1	1	3
With brain tumor	6	2	8	5	4	9	11	3	14	5	2	7
With other brain or nervous diseases	9	1	10	25	2	27	38	10	48	74	7	81
Alcoholic	6	4	10	6	5	11	2	7	9	11	6	17
Due to drugs and other exogenous toxins	22	3	26	7	7	14	2	8	10	2	13	15
With pellagra	41	63	104	56	82	138	71	95	29	51	80	126
With other somatic diseases	132	173	305	174	278	452	200	294	494	183	295	478
Manic-depressive	132	173	305	174	278	452	200	294	494	183	295	478
Involution melancholia	686	355	1,041	774	446	1,220	557	438	995	399	391	790
Dementia praecox	1	1	2	15	8	23	31	17	48	43	30	73
Paranoia or paranoid conditions	62	36	98	47	36	83	44	23	67	39	22	61
Epileptic psychoses	29	21	50	36	28	64	21	41	62	17	38	55
Psychoneuroses and neuroses	54	29	83	51	25	76	35	25	60	37	32	69
With psychopathic personality	76	28	104	56	41	97	31	31	62	32	43	75
With mental deficiency	19	16	35	37	31	68	26	38	64	35	33	68
Undiagnosed psychoses	79	29	108	70	28	98	45	28	73	50	26	76
Total	1,203	754	1,957	1,404	1,027	2,431	1,286	1,092	2,378	1,365	1,088	2,453

Table 6. Age of first admissions to 70 state hospitals for mental diseases classified with reference to principal psychoses, for the fiscal year 1920—(Continued)

PSYCHOSES	40—44 YEARS			45—49 YEARS			50—54 YEARS			55—59 YEARS		
	Males	Females	Total									
Tranumatic	3	1	4	1	1	2	5	9	12	5	5	5
Senile	2	2	4	3	2	5	16	25	41	16	42	49
With cerebral arteriosclerosis	3	2	5	16	25	41	77	52	129	108	40	89
General paralysis	343	70	413	297	61	358	207	53	260	166	77	185
With cerebral syphilis	19	16	35	23	11	34	22	13	35	10	4	16
With Huntington's chorea	2	2	4	2	4	6	3	1	4	3	2	3
With brain tumor	4	4	8	2	1	3	5	5	10	5	2	6
With other brain or nervous diseases	6	7	13	11	8	19	12	4	16	11	1	12
Alcoholic	62	11	73	57	15	72	53	10	63	41	3	44
Due to drugs and other exogenous toxins	4	11	15	4	6	10	7	5	12	5	4	9
With pellagra	3	6	9	5	10	15	3	4	7	1	1	2
With other somatic diseases	27	49	76	33	24	57	20	28	48	28	18	46
Manic-depressive	157	219	376	144	200	344	129	146	275	71	84	155
Involuntary melancholia	11	56	67	33	100	133	33	113	146	50	72	122
Dementia praecox	201	277	478	114	196	310	54	129	183	24	65	89
Paranoia or paranoid conditions	40	50	90	33	42	75	35	40	75	16	24	40
Epileptic psychoses	26	20	46	20	13	33	15	15	30	12	8	20
Psychoneuroses and neuroses	13	44	57	21	23	44	15	17	32	5	14	19
With psychopathic personality	20	19	39	21	16	37	11	12	23	9	3	12
With mental deficiency	26	25	51	26	25	51	19	21	40	7	11	18
Undiagnosed psychoses	40	38	78	43	40	83	31	30	61	19	20	39
Without psychosis	44	13	57	37	18	55	25	18	43	17	6	23
Total	1,054	942	1,996	946	847	1,793	797	737	1,534	659	489	1,148

Table 6. Age of first admissions to 70 state hospitals for mental diseases classified with reference to principal psychoses, for the fiscal year 1920—(Concluded)

PSYCHOSES	60—64 YEARS			65—69 YEARS			70 YEARS AND OVER			UNASCERTAINED		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
Traumatic	4	4	8	6	6	12	6	1	7	2	5	18
Senile	134	148	282	232	199	431	730	863	1,593	13	5	18
With cerebral arteriosclerosis	164	124	288	180	81	261	240	156	396	1	3	4
General paralysis	87	20	107	39	6	45	9	...	9	8	1	9
With cerebral syphilis	7	5	12	7	1	8	7	1	1	3	1	2
With Huntington's chorea	1	1	2	2	1	3	1	1	2	1	1	1
With brain tumor	1	1	2	1	1	2	1	1	2	1	1	1
With other brain or nervous diseases	11	9	20	5	6	11	3	2	5	1	1	1
Alcoholic	23	3	26	12	1	13	10	...	10	3	...	3
Due to drugs and other exogenous toxins	4	2	6	1	1	2	5	...	5
With pellagra	5	2	7	3	2	5	5	4	9	...	1	1
With other somatic diseases	22	15	37	12	11	23	11	...	11	5	6	11
Manic-depressive	58	67	125	23	34	57	12	8	20	5	6	11
Involution melancholia	37	46	83	17	21	38	2	3	5
Dementia praecox	17	29	46	5	14	19	2	9	11	19	3	22
Paranoia or paranoid conditions	17	21	38	8	10	18	3	7	10
Epileptic psychoses	9	13	22	10	...	10	8	3	11	2	...	2
Psychoneuroses and neuroses	6	9	15	1	2	3	2	...	2
With psychopathic personality	4	2	6	3	2	5	2	3	5	1	...	1
With mental deficiency	5	7	12	4	2	6	4	6	10	4	2	6
Undiagnosed psychoses	12	10	22	8	10	18	12	15	27	1	...	1
Without psychosis	13	3	16	10	5	15	10	3	13	10	...	10
Total	641	537	1,178	588	408	996	1,059	1,085	2,144	70	23	93

Table 7. *Degree of education of first admissions to 70 state hospitals for mental diseases, classified with reference to principal psychoses, for the fiscal year 1920*

PSYCHOSSES	TOTAL ASCERTAINED		ILLITERATE		READS AND WRITES		COMMON SCHOOL		HIGH SCHOOL		COLLEGE		UN- ASCR- TAINED Per cent
	Number	Per cent	Number	Per cent	Number	Per cent	Number	Per cent	Number	Per cent	Number	Per cent	
Traumatic	46	100.0	1	2.2	9	19.6	261	56.5	7	15.2	3	6.5	1
Senile	2,233	100.0	357	16.0	415	18.6	1,300	58.2	115	5.2	46	2.1	245
With cerebral arteriosclerosis	1,289	100.0	134	10.4	259	20.1	775	60.1	89	6.9	32	2.5	84
General paralysis	2,042	100.0	134	6.6	379	18.6	1,268	62.1	197	9.7	64	3.1	126
With cerebral syphilis	207	100.0	22	10.6	64	30.9	103	49.8	13	6.3	5	2.4	20
With Huntington's chorea	34	100.0	1	2.9	11	32.4	18	52.9	3	8.8	1	2.9	2
With brain tumor	36	100.0	4	11.1	7	19.4	19	52.8	4	11.1	2	5.6	1
With other brain or nervous diseases	138	100.0	7	5.1	24	17.4	88	63.8	13	9.4	6	4.3	7
Alcoholic	457	100.0	38	8.3	146	31.9	241	52.7	25	5.5	7	1.5	20
Due to drugs and other exogenous toxins	98	100.0	5	5.1	14	14.3	54	55.1	15	15.3	10	10.2	3
With pellagra	76	100.0	14	18.4	17	22.4	43	56.6	2	2.6	6
With other somatic diseases	624	100.0	45	7.2	156	25.0	344	55.1	62	9.9	17	2.7	34
Manic-depressive	3,133	100.0	224	7.1	712	22.7	1,751	55.9	362	11.6	84	2.7	163
Involution melancholia	610	100.0	27	4.4	90	14.8	387	63.4	83	13.6	23	3.8	17
Dementia praecox	5,464	100.0	403	7.4	1,340	24.5	3,067	56.1	538	9.8	116	2.1	248
Paranoia or paranoid conditions	460	100.0	25	5.4	97	21.1	280	60.9	40	8.7	18	3.9	15
Epileptic psychoses	534	100.0	82	15.4	143	26.8	267	50.0	35	6.6	7	1.3	17
Psychoneuroses and neuroses	430	100.0	13	3.0	72	16.7	248	57.7	78	18.1	19	4.4	2
With psychopathic personality	479	100.0	42	8.8	117	24.4	255	53.2	54	11.3	11	2.3	9
With mental deficiency	631	100.0	243	38.5	215	34.1	169	26.8	3	0.5	1	0.2	19
Undiagnosed psychoses	542	100.0	86	15.9	123	22.7	274	50.6	42	7.7	17	3.1	58
Without psychosis	675	100.0	147	21.8	155	23.0	280	41.5	72	10.7	21	3.1	25
Total	20,238	100.0	2,054	10.1	4,565	22.6	11,257	55.6	1,852	9.2	510	2.5	1,122

Table 8. Environment of first admissions to 72 state hospitals for mental diseases, classified with reference to principal psychoses, for the fiscal year 1920

PSYCHOSIS	TOTAL			URBAN			RURAL			UNASCECATED		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
Traumatic	45	2	47	31	2	33	14	14	33	887	27	21
Senile	1,243	1,303	2,546	714	897	1,611	502	385	887	363	7	48
With cerebral arteriosclerosis	817	557	1,374	570	431	1,001	240	123	363	7	3	10
General paralysis	1,832	391	2,223	1,573	329	1,902	242	55	297	17	7	24
With cerebral syphilis	145	82	227	108	74	182	31	8	39	6	1	6
With Huntington's chorea	15	21	36	9	13	22	6	7	13	1	1	1
With brain tumor	23	14	37	18	12	30	5	2	7	1	1	1
With other brain or nervous diseases	91	54	145	70	39	109	20	14	34	1	1	2
Alcoholic	416	64	480	341	59	400	73	4	77	2	1	3
Due to drugs and other exogenous toxins	51	51	102	39	46	85	11	5	16	1	1	1
With pellagra	24	60	84	9	27	36	15	33	48	1	1	1
With other somatic diseases	273	406	679	165	282	447	99	115	214	9	9	18
Manic-depressive	1,427	1,951	3,378	894	1,378	2,272	507	552	1,059	26	21	47
Involution melancholia	191	437	628	117	300	417	74	131	205	6	6	6
Dementia praecox	3,260	2,667	5,827	2,381	1,895	4,276	791	653	1,444	88	19	107
Paranoia or paranoid conditions	248	252	500	167	180	347	80	68	148	1	4	5
Epileptic psychoses	350	221	571	216	143	359	132	77	209	2	1	3
Psychoneuroses and neuroses	174	259	433	109	183	292	64	74	138	1	2	3
With psychopathic personality	299	193	492	229	154	383	60	37	97	10	2	12
With mental deficiency	389	296	685	218	197	415	164	96	260	7	3	10
Undiagnosed psychoses	301	299	600	223	237	460	71	58	129	7	4	11
Without psychosis	484	239	723	331	167	498	145	70	215	8	2	10
Total	12,098	9,719	21,817	8,532	7,045	15,577	3,346	2,567	5,913	220	107	327

Table 9. *Economic condition of first admissions to 69 state hospitals for mental diseases, classified with reference to principal psychoses, for the fiscal year 1920*

PSYCHOSIS	TOTAL ASCERTAINED		DEPENDENT		MARGINAL		COMFORTABLE		U- SERT- AINED
	Number	Per cent	Number	Per cent	Number	Per cent	Number	Per cent	
Traumatic	41	100.0	6	14.6	22	53.7	13	31.7	1
Seizile	2,241	100.0	711	31.7	955	42.6	575	25.7	111
With cerebral arteriosclerosis	1,235	100.0	240	19.4	601	48.7	394	31.9	54
General paralysis	2,069	100.0	330	15.9	1,341	64.8	398	19.2	78
With cerebral syphilis	208	100.0	59	28.4	109	52.4	40	19.2	8
With Huntington's chorea	33	100.0	12	36.4	15	45.5	6	18.2	1
With brain tumor	33	100.0	3	9.1	28	84.8	2	6.1	3
With other brain or nervous diseases	141	100.0	28	19.9	80	56.7	33	23.4	2
Alcoholic	431	100.0	68	15.8	284	65.9	79	18.3	17
Due to drugs and other exogenous toxins	97	100.0	25	25.8	48	49.5	24	24.7	...
With pellagra	61	100.0	24	39.3	21	34.4	16	26.2	2
With other somatic diseases	577	100.0	84	14.6	334	57.9	159	27.6	17
Manic-depressive	2,954	100.0	455	15.4	1,713	58.0	786	26.6	90
Involution melancholia	614	100.0	64	10.4	288	46.9	262	42.7	9
Dementia praecox	5,265	100.0	952	18.1	3,323	63.1	990	18.8	148
Paranoia or paranoid conditions	421	100.0	105	24.9	196	46.6	120	28.5	10
Epileptic psychoses	451	100.0	164	36.4	203	45.0	84	18.6	45
Psychoneuroses and neuroses	393	100.0	42	10.7	185	47.1	166	42.2	6
With psychopathic personality	443	100.0	121	27.3	259	58.5	63	14.2	8
With mental deficiency	599	100.0	246	41.1	280	46.7	73	12.2	20
Undiagnosed psychoses	533	100.0	76	14.3	341	64.0	116	21.8	22
Without psychosis	633	100.0	164	25.9	271	42.8	198	31.3	17
Total	19,473	100.0	3,979	20.4	10,897	56.0	4,597	23.6	669

Table 10. Use of alcohol by first admissions to 69 state hospitals for mental diseases, classified with reference to principal psychoses, for the fiscal year 1920

PSYCHOSIS	TOTAL			ABSTINENT			TEMPERATE			INTEMPERATE			UNASCERAINED			
	Males		Females	Males		Females	Males		Females	Males		Females	Males		Total	
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	
Tranquillic	43	2	45	12	2	14	15	12	15	12	4	12	4	12	4	4
Senile	1,174	1,256	2,430	399	922	1,321	454	170	624	188	22	210	133	142	275	
With cerebral arteriosclerosis	813	554	1,367	253	407	660	328	97	425	165	13	178	67	37	104	
General paralysis	1,807	389	2,196	313	196	509	793	114	907	524	39	563	177	40	217	
With cerebral syphilis	134	81	215	37	32	69	35	30	65	51	8	59	11	11	22	
With Huntington's chorea	15	21	36	8	18	26	4	2	6	2	1	3	1	1	1	
With brain tumor	23	14	37	4	9	13	15	4	19	3	...	3	1	1	2	
With other brain or nervous diseases	87	53	140	29	35	64	40	13	53	15	2	17	3	3	6	
Alcoholic	407	61	468	407	61	468	
Due to drugs and other exogenous toxins	43	43	86	11	21	32	11	6	17	20	10	30	1	6	7	
With pellagra	21	53	74	7	50	57	9	2	11	3	...	3	2	1	3	
With other somatic diseases	242	382	624	91	300	391	94	53	147	31	6	37	26	23	49	
Manic-depressive	1,314	1,855	3,169	495	1,411	1,906	528	301	829	207	33	240	84	110	194	
Involution melancholia	191	437	628	88	373	461	69	47	116	31	2	33	3	15	18	
Dementia praecox	3,156	2,499	5,655	1,011	1,806	2,817	1,386	439	1,825	507	45	552	252	209	461	
Paranoia or paranoid conditions	235	237	472	75	185	260	99	31	130	46	4	50	15	17	32	
Epileptic psychoses	319	212	531	155	159	314	98	29	127	43	3	46	23	21	44	
Psychoneuroses and neuroses	170	251	421	83	206	289	63	32	95	18	2	20	6	11	17	
With psychopathic personality	295	189	484	121	133	254	98	29	127	64	17	81	12	10	22	
With mental deficiency	353	276	629	168	190	358	103	34	137	57	14	71	25	38	63	
Undiagnosed psychoses	295	298	593	87	205	292	121	44	165	56	8	64	31	41	72	
Without psychosis	449	225	674	146	149	295	161	32	193	99	25	124	43	19	62	
Total	11,586	9,388	20,974	3,593	6,809	10,402	4,524	1,509	6,033	2,549	315	2,864	920	755	1,675	

Table 11. Marital condition of first admissions to 72 state hospitals for mental diseases, classified with reference to principal psychoses, for the fiscal year 1920

PSYCHOSIS	TOTAL			SINGLE			MARRIED		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
Tranumatic	45	2	47	11	19	11	30	1	31
Senile	1,238	1,303	2,546	167	364	575	263	838	
With cerebral arteriosclerosis	817	557	1,374	107	82	189	483	201	684
General paralysis	1,832	391	2,223	454	31	485	1,105	249	1,354
With cerebral syphilis	145	82	227	35	13	48	75	42	117
With Huntington's chorea	15	21	36	3	5	10	5	8	13
With brain tumor	23	14	37	6	5	11	16	5	21
With other brain or nervous diseases	91	54	145	32	14	46	48	25	73
Alcoholic	416	64	480	174	11	185	193	35	228
Due to drugs and other exogenous toxins	51	51	102	14	7	21	33	19	52
With pellagra	24	60	84	6	9	15	15	44	59
With other somatic diseases	273	406	679	103	68	171	136	281	417
Manic-depressive	1,427	1,951	3,378	628	480	1,108	652	1,222	1,874
Involution melancholia	191	437	628	25	102	127	134	251	385
Dementia praecox	3,260	2,567	5,827	2,401	1,100	3,501	649	1,131	1,780
Paranoia or paranoid conditions	248	252	500	101	51	152	117	125	242
Epileptic psychoses	350	221	571	224	111	335	84	85	169
Psychoneuroses and neuroses	174	259	433	89	75	164	72	152	224
With psychopathic personality	299	193	492	212	77	289	59	93	152
With mental deficiency	389	296	685	335	182	517	42	76	118
Undiagnosed psychoses	301	299	600	123	84	207	147	164	311
Without psychosis	484	239	723	284	116	400	144	78	222
Total	12,098	9,719	21,817	5,534	2,822	8,356	4,814	4,550	9,364

Table 11. Marital condition of first admissions to 72 state hospitals for mental diseases, classified with reference to principal psychoses, for the fiscal year 1920—(Concluded)

PSYCHOSES	WIDOWED			SEPARATED			DIVORCED			UNASCEPTAINED		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
Traumatic	3	1	4	15	10	25	25	16	41	31	38	69
Senile	430	779	1,209	13	11	24	10	7	17	8	4	12
With cerebral arteriosclerosis	196	252	448	34	21	55	48	25	73	34	1	35
General paralysis	157	64	221	3	2	5	7	1	12	7	2	9
With cerebral syphilis	18	18	36	3	3	6	3	1	1	1	1	1
With Huntington's chorea	4	5	9	3	3	6	3	1	1	1	1	1
With brain tumor	1	3	4	2	2	4	2	2	4	1	1	2
With other brain or nervous diseases	8	14	22	2	2	4	7	11	11	5	1	6
Alcoholic	29	14	43	4	3	7	8	5	5	2	2	2
Due to drugs and other exogenous toxins	3	11	14	1	1	2	1	1	1	1	1	1
With pellagra	2	4	6	1	1	2	1	1	1	1	1	1
With other somatic diseases	22	44	66	5	4	9	2	6	8	5	3	8
Manic-depressive	83	149	232	20	45	65	25	34	59	19	21	40
Involution melancholia	23	68	91	2	7	9	6	7	13	1	1	3
Dementia praecox	67	196	263	36	59	95	47	63	110	60	18	78
Paranoia or paranoid conditions	20	49	69	4	11	15	5	13	18	1	3	4
Epileptic psychoses	20	15	35	6	5	11	10	5	15	6	6	6
Psychoneuroses and neuroses	10	19	29	10	3	3	3	10	13	10	4	6
With psychopathic personality	8	11	19	6	6	16	6	4	10	4	2	6
With mental deficiency	6	18	24	1	12	13	1	4	5	4	4	8
Undiagnosed psychoses	17	41	58	5	7	12	5	2	7	4	1	5
Without psychosis	32	23	55	4	7	11	8	12	20	12	3	15
Total	1,158	1,799	2,957	169	221	390	220	219	439	202	109	311

Table 12. Discharges of patients from 69 state hospitals for mental diseases, classified with reference to principal psychoses and condition on discharge, for the fiscal year 1920

PSYCHOSES	TOTAL			RECOVERED			IMPROVED			UNIMPROVED		
	Males		Females	Total	Males		Females	Total	Males		Females	Total
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
Traumatic	42	3	45	20	1	21	19	1	20	3	1	4
Senile	178	191	369	9	4	13	92	107	199	77	80	157
With cerebral arteriosclerosis	136	119	255	15	6	21	85	83	168	36	30	66
General paralysis	387	103	490	10	3	13	237	70	307	140	30	170
With cerebral syphilis	44	36	80	4	5	9	29	25	54	11	6	17
With Huntington's chorea	1	3	4	3	1	...	1
With brain tumor	2	2	4	...	1	1	1	1	2	1	1	...
With other brain or nervous diseases	29	21	50	9	7	16	16	8	24	4	6	10
Alcoholic	635	131	766	390	71	461	215	48	263	30	12	42
Due to drugs and other exogenous toxins	48	46	94	32	36	68	12	9	21	4	1	5
With pellagra	13	37	50	4	10	14	6	21	27	3	6	9
With other somatic diseases	156	275	431	122	196	318	25	67	92	9	12	21
Manic-depressive	1,692	2,273	3,955	1,065	1,481	2,546	527	677	1,204	90	115	205
Involution melancholia	106	277	383	44	114	158	46	131	177	16	32	48
Dementia precoox	2,053	1,615	3,668	186	171	357	1,550	1,098	2,448	517	346	863
Paranoia or paranoid conditions	193	181	374	39	20	59	111	120	231	43	41	84
Epileptic psychoses	146	126	272	25	29	54	78	62	140	43	35	78
Psychoneuroses and neuroses	138	236	374	59	103	162	63	99	162	16	34	50
With psychopathic personality	258	166	424	130	87	217	100	58	158	28	21	49
With mental deficiency	243	186	429	88	78	166	107	77	184	48	31	79
Undiagnosed psychoses	165	155	320	55	52	107	79	71	150	31	32	63
Without psychosis	463	240	703
Total	7,118	6,4422	13,540	2,306	2,475	4,781	3,198	2,836	6,034	1,151	871	2,022

Without psychosis—Males, 463; females, 240; total, 703.

Table 13. Rates of recovery and improvement of patients discharged from 75 state hospitals for mental diseases for the fiscal year 1920

STATE HOSPITAL	RECOVERED						IMPROVED					
	NUMBER			PER CENT OF TOTAL ADMISSIONS			NUMBER			PER CENT OF TOTAL ADMISSIONS		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
ARIZONA												
State Hospital (Phoenix)	20	7	27	13.4	11.1	12.7	53	17	70	35.6	27.0	33.0
CALIFORNIA												
Mendocino (Talmage)	63	13	76	17.7	24.5	18.6	36	13	49	10.1	24.5	12.0
COLORADO												
State Hospital (Pueblo)	22	39	61	8.4	20.5	13.5	29	40	69	11.1	21.1	15.3
CONNECTICUT												
State Hospital (Middletown)	20	56	76	9.3	22.9	16.6	53	61	114	24.8	24.9	24.8
INDIANA												
Central (Indianapolis)	14	28	42	12.3	24.1	18.3	42	47	89	36.8	40.5	38.7
Eastern (Richmond)	17	17	34	21.0	30.4	24.8	24	10	34	29.6	17.9	24.8
Northern (Logansport)	5	12	17	5.1	12.6	8.8	41	43	84	41.4	45.3	43.3
Southeastern (Madison)	9	13	22	6.4	11.4	8.7	33	37	70	23.6	32.5	27.6
IOWA												
Cherokee	34	28	62	22.1	28.0	24.4	4	4	7	1.6	3.3	2.3
Clarinda	55	35	90	29.7	28.7	29.3	3	10	16	5.7	4.3	5.1
Independence	35	34	69	19.9	24.3	21.8	10	6	2	4	1.4	2.0
Mount Pleasant	20	33	53	13.7	33.3	21.6	2	2	4	1.4	2.0	1.6
MAINE												
Augusta	29	25	54	15.0	16.0	15.5	43	32	75	22.3	20.5	21.5
Bangor	29	17	46	18.5	17.5	18.1	45	33	78	28.7	34.0	30.7
MARYLAND												
Spring Grove (Catonsville)	24	27	51	24.5	48.2	33.1	11	3	14	11.2	5.4	9.1

Table 13. Rates of recovery and improvement of patients discharged from 75 state hospitals for mental diseases for the fiscal year 1920—(Continued)

STATE HOSPITAL	RECOVERED			IMPROVED			PER CENT OF TOTAL ADMISSIONS			PER CENT OF TOTAL ADMISSIONS		
	NUMBER			NUMBER			MALES			MALES		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
MASSACHUSETTS												
Boston	21	40	61	30.9	29.9	30.2	38	57	95	55.9	42.5	47.0
Bridgewater	9	9	18	13.2	13.2	13.2	13	57	13	19.1	19.1	19.1
Danvers (Hathorne)	32	19	51	10.8	6.2	8.5	99	143	242	33.6	46.9	40.3
Foxborough	4	4	8	5.7	11.8	7.7	14	16	30	20.0	47.1	28.8
Gardner	1	2	3	3.7	6.9	5.4	9	9	18	33.3	31.0	32.1
Grafton (Worcester)	7	3	10	12.3	8.1	10.6	5	7	12	27.8	58.3	40.1
Medfield (Harding)	26	46	72	12.3	21.5	16.9	44	27	71	25	22.8	32.4
Northampton Infirmary (Tewksbury)	34	18	52	16.4	9.0	12.7	57	57	7	20.8	12.6	16.7
Taunton	12	28	40	8.5	14.0	11.7	77	112	124	8.0	50.0	20.0
Westborough	25	33	58	9.1	15.4	11.8	101	47	148	189	54.6	33.3
Worcester	5	5	10	9.8	9.4	9.4	3	3	7	56.0	56.0	55.4
MICHIGAN												
Ionia	14	42	56	9.1	14.9	8.1	83	62	145	20.4	22.1	5.7
Kalamazoo	36	27	63	14.9	18.6	16.3	42	42	84	17.4	29.0	21.8
Pontiac	19	3	22	17.9	5.2	13.4	21	35	21	19.8	28.9	12.8
NEBRASKA												
Hastings	1	1	1	0.8	0.4	29	35	64	17.7	28.9	22.5
Lincoln	22	49	71	15.7	13.4	14.6	34	32	66	19.8	19.5	19.6
NEW HAMPSHIRE												
State Hospital (Concord)	86	84	170	28.3	29.1	28.7	55	71	126	18.1	24.6	21.2
Morris Plains	159	173	332	39.5	49.9	44.3	49	19	68	12.2	5.5	9.1

Table 13. Rates of recovery and improvement of patients discharged from 75 state hospitals for mental diseases for the fiscal year 1920—(Continued)

STATE HOSPITAL	RECOVERED			NUMBER			PER CENT OF TOTAL ADMISSIONS			NUMBER			PER CENT OF TOTAL ADMISSIONS		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
NEW YORK															
Binghamton	37	32	69	22.4	23.5	22.9	54	25	79	32.7	18.4	26.2	14.1	13.5	13.8
Brooklyn	40	96	136	10.8	18.3	15.2	52	71	123	21.3	23.8	22.5	14.1	13.5	13.8
Buffalo	28	49	77	12.2	23.3	17.5	49	50	99	21.3	23.8	22.5	14.1	13.5	13.8
Central Islip	103	155	258	12.2	22.5	16.8	220	141	361	26.0	20.5	23.5	14.1	13.5	13.8
Dannemora	45	37	94	45	69.2	69.2	10	10	15.4	15.4	15.4	15.4	15.4	15.4	15.4
Gowanda Homeopathic (Collins)	30	56	86	24.3	38.6	29.6	42	26	68	27.6	29.5	28.3	14.5	13.9	13.8
Hudson River (Poughkeepsie)	87	123	210	10.1	17.4	13.9	56	89	145	18.9	27.7	23.5	12.3	11.7	11.6
Kings Park	158	199	357	17.3	32.2	23.7	157	123	280	31.2	32.2	31.6	19.4	19.2	19.1
Manhattan (Ward's Island)	23	4	27	20.5	33.3	21.8	28	7	401	21.3	21.9	21.6	14.1	13.5	13.8
Matteawan (Beacon)	25	35	60	24.5	23.8	24.1	24	24	48	23.5	16.3	19.3	14.1	13.5	13.8
Middletown Homeopathic	37	55	92	18.2	22.7	20.7	56	59	115	27.6	24.4	25.8	16.1	15.5	15.4
Rochester	35	57	72	23.6	26.1	24.8	31	16	47	20.9	11.3	16.2	14.9	14.3	14.2
St. Lawrence (Ogdensburg)	50	51	101	27.8	27.1	27.4	28	28	56	15.6	14.9	15.2	14.1	13.5	13.8
Utica	40	49	89	19.0	27.1	22.8	34	18	52	16.2	9.9	13.3	14.9	14.3	14.2
Willard	27	19	46	15.9	11.4	13.7	29	20	49	17.1	12.0	14.6	14.1	13.5	13.8
NORTH CAROLINA															
State Hospital (Morganton)	45	34	79	34.4	28.1	31.3	35	27	62	26.7	22.3	24.6	14.1	13.5	13.8
Ohio	54	38	92	14.3	14.2	14.2	147	97	244	38.9	36.2	37.8	14.1	13.5	13.8
Athens	46	51	97	14.6	18.3	16.4	64	61	125	20.3	21.9	21.1	14.1	13.5	13.8
Cleveland	17	18	35	8.1	10.6	9.2	85	63	148	40.7	37.1	39.1	14.1	13.5	13.8
Columbus	17	15	22	35.4	166.7	43.1	10	10	21	19.6	19.6	19.6	14.1	13.5	13.8
Dayton	10	2	12	4.2	1.1	2.9	41	37	78	17.1	21.1	18.8	14.1	13.5	13.8
Lima	89	79	168	22.5	34.1	26.8	105	68	173	26.6	29.3	27.6	14.1	13.5	13.8
Longview (Cincinnati)	76	63	139	22.8	24.1	23.4	93	80	173	27.9	30.7	29.1	14.1	13.5	13.8
Massillon															
Toledo															

Table 13. Rates of recovery and improvement of patients discharged from 75 state hospitals for mental diseases for the fiscal year 1920—(Concluded.)

STATE HOSPITAL	RECOVERED			NUMBER			IMPROVED			PER CENT OF TOTAL ADMISSIONS			PER CENT OF TOTAL ADMISSIONS		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
OREGON															
Eastern (Pendleton)	22	5	27	33.8	11.9	25.2	5	3	8	7.7	7.1	7.5			
PENNSYLVANIA															
Harrisburg	37	30	67	23.6	27.8	25.3	31	11	42	19.7	10.2	15.8			
Homeopathic (Allentown)	19	35	54	10.6	20.1	15.3	36	43	79	20.0	24.7	22.3			
State Hospital (Danville)	13	29	42	7.7	20.0	18.4	44	37	81	26.0	25.5	25.8			
State Hospital (Norristown)	36	33	69	12.7	16.8	14.4	51	13	64	18.0	6.6	13.3			
Criminal (Waymart)	12	12	20.7	20.7	1	1	1.7	1.7			
RHODE ISLAND															
State Hospital (Howard)	28	29	57	13.9	15.4	14.7	44	32	76	21.9	17.0	19.5			
SOUTH CAROLINA															
State Hospital (Columbia)	55	50	105	18.0	12.3	12.9	75	103	178	24.5	25.2	21.9			
SOUTH DAKOTA															
Yankton	33	29	62	25.6	35.8	29.5	35	22	57	27.1	27.2	27.1			
TENNESSEE															
Eastern (Bearden)	6	13	19	3.1	7.1	5.0	68	73	141	35.2	39.7	37.4			
TEXAS															
Southwestern (San Antonio)	33	45	78	19.4	28.1	23.6	26	42	68	15.3	26.2	20.6			
VERMONT															
State Hospital (Waterbury)	6	1	7	5.6	1.1	3.4	17	15	32	15.7	15.8	15.8			
VIRGINIA															
Central (Petersburg)	43	51	94	16.5	22.6	19.3	60	57	117	23.1	25.2	24.1			
Eastern (Williamsburg)	24	14	38	13.6	13.1	13.4	54	24	78	30.7	22.4	27.6			
Southwestern (Marion)	59	39	98	31.6	39.4	34.3	29	18	47	15.5	18.2	16.4			
WASHINGTON															
Western (Fort Steilacoom)	42	51	93	15.3	40.2	23.2	97	38	135	35.4	29.9	33.7			

Table 14. Total duration of hospital life of patients dying in 71 state hospitals for mental diseases, classified according to principal psychoses, for the fiscal year 1920

PSYCHOSIS	TOTAL			LESS THAN 1 MONTH			1-3 MONTHS		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
Traumatic	15	1	16	5	5	5	3	3	3
Senile	1,103	1,142	2,245	250	163	413	243	216	459
With cerebral arteriosclerosis	683	387	1,070	196	86	282	174	84	258
General paralysis	1,592	385	1,977	211	42	253	314	87	401
With cerebral syphilis	94	44	138	16	6	22	16	6	22
With Huntington's chorea	16	12	28	1	1	1	1	2	3
With brain tumor	15	8	23	4	1	5	7	5	12
With other brain or nervous diseases	54	47	101	15	12	27	12	7	19
Alcoholic	163	40	203	4	1	5	12	3	15
Due to drugs and other exogenous toxins	7	8	15	4	1	5	5	2	2
With pellagra	18	54	72	2	14	16	6	16	22
With other somatic diseases	124	141	265	72	86	158	27	26	53
Manic-depressive	599	733	1,332	65	136	201	53	82	135
Involution melancholia	121	213	334	12	33	45	18	34	52
Dementia praecox	1,112	1,178	2,290	32	41	73	19	57	76
Paranoia or paranoid conditions	82	117	199	1	5	6	4	4	8
Epileptic psychoses	284	192	476	14	8	22	15	11	26
Psychoneuroses and neuroses	14	25	39	2	2	4	3	4	7
With psychopathic personality	30	32	62	2	2	4	2	2	4
With mental deficiency	128	119	247	3	4	7	7	5	12
Undiagnosed psychoses	93	101	194	33	42	75	12	15	27
Without psychosis	61	33	94	12	9	21	8	2	10
Total	6,408	5,012	11,420	956	692	1,648	956	670	1,626

Table 14. Total duration of hospital life of patients dying in 71 state hospitals for mental diseases, classified according to principal psychoses, for the fiscal year 1920—(Continued)

PSYCHOSES	4—7 MONTHS			8—12 MONTHS			1—2 YEARS		
	Males	Females	Total	Males	Females	Total	Males	Females	Total
Traumatic	1	1	1	94	104	198	1	1	1
Senile	160	161	321	51	31	82	176	232	408
With cerebral arteriosclerosis	101	61	162	41	216	473	92	111	150
General paralysis	250	53	303	175	29	15	473	111	584
With cerebral syphilis	22	7	29	2	2	1	15	2	11
With Huntington's chorea	1	1	2	1	1	1	3	1	4
With brain tumor	1	1	1	1	1	1	1	1	1
With other brain or nervous diseases	5	4	9	3	3	6	6	10	16
Alcoholic	9	4	13	3	1	4	24	5	29
Due to drugs and other exogenous toxins	5	2	2	1	1	1	2	1	1
With pellagra	9	9	14	14	14	14	4	2	6
With other somatic diseases	9	13	22	5	3	8	9	9	15
Manic-depressive	54	52	106	42	37	79	81	93	174
Involution melancholia	15	19	34	9	8	17	23	28	51
Dementia praecox	46	66	112	41	30	71	141	138	279
Paranoia or paranoid conditions	4	4	8	4	7	11	7	12	19
Epileptic psychoses	13	12	25	13	5	18	58	33	91
Psychoneuroses and neuroses	3	2	5	1	1	1	2	7	9
With psychopathic personality	1	6	7	1	1	1	8	6	14
With mental deficiency	9	10	19	7	6	13	17	19	36
Undiagnosed psychoses	11	10	21	1	4	5	11	15	26
Without psychosis	4	1	5	4	1	5	10	9	19
Total	723	498	1,221	464	297	761	1,166	800	1,966

Table 14. Total duration of hospital life of patients dying in 71 state hospitals for mental diseases, classified according to principal psychoses, for the fiscal year 1920—(Continued)

Table 14. Total duration of hospital life of patients dying in 71 state hospitals for mental diseases, classified according to principal psychoses, for the fiscal year 1920—(Concluded)

PSYCHOSES	11—12 YEARS			13—14 YEARS			15—19 YEARS			20 YEARS AND OVER		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
Traumatic	7	17	24	8	5	13	8	18	26	17	31	1
Senile	2	1	3	3	3	6	7	4	11	3	8	48
With cerebral arteriosclerosis	4	4	8	1	1	2	1	1	2	3	1	11
General paralysis	1	1	2	1	1	2	1	1	1	1	1	4
With cerebral syphilis	1	1	2	1	1	2	1	1	1	1	1	1
With Huntington's chorea	1	1	2	1	1	2	1	1	1	1	1	1
With brain tumor	1	1	2	1	1	2	1	1	1	1	1	1
With other brain or nervous diseases	1	1	2	10	3	13	12	2	14	6	3	9
Alcoholic	10	3	13	1	1	2	1	1	2	1	1	1
Due to drugs and other exogenous toxins	1	1	2	1	1	2	1	1	2	1	1	1
With pellagra	1	1	2	1	1	2	1	1	2	1	1	1
With other somatic diseases	20	33	53	17	19	36	47	46	93	85	77	162
Manic-depressive	2	8	10	106	45	61	106	9	5	3	8	9
Involutional melancholia	56	50	106	45	61	106	98	122	220	200	300	590
Dementia praecox	5	16	21	7	9	16	10	4	14	17	16	33
Paranoia or paranoid conditions	11	3	14	13	9	22	14	14	28	19	24	43
Epileptic psychoses	1	1	2	1	1	2	1	1	1	1	1	2
Psychoneuroses and neuroses	4	4	8	3	4	7	8	10	18	17	18	35
With psychopathic personality	8	2	10	3	4	7	1	3	4	4	4	6
With mental deficiency	2	2	4	1	1	2	2	4	3	1	4	2
Undiagnosed psychoses	3	3	6	2	2	4	2	4	3	7	7	2
Without psychosis												
Total	133	141	274	113	123	236	220	231	451	483	496	979

Table 15. Deaths in 76 state hospitals for mental diseases for the fiscal year 1920, and death rates per 1,000 of patients under treatment for the years 1910, 1918, and 1920

STATE HOSPITAL	DEATHS IN 1920						RATE PER 1,000 OF PATIENTS UNDER TREATMENT	
	NUMBER			RATE PER 1,000 OF PATIENTS UNDER TREATMENT			1918	1910
	Males	Females	Total	Males	Females	Total		
Total	6,630	5,162	11,792	84.5	70.6	77.8	85.5	73.3
ARIZONA								
State Hospital (Phoenix)	59	26	85	112.0	123.2	115.2	*	93.2
CALIFORNIA								
Mendocino (Talmage)	63	14	77	56.8	34.7	50.9	62.4	52.0
COLORADO								
State Hospital (Pueblo)	144	61	205	105.7	60.1	86.2	93.8	53.4
CONNECTICUT								
State Hospital (Middletown)	118	121	239	77.9	73.2	75.5	88.9	65.9
INDIANA								
Central (Indianapolis)	68	38	106	85.4	41.9	62.2	80.0	75.7
Eastern (Richmond)	38	23	61	69.9	45.6	58.2	53.7	68.6
Northern (Logansport)	46	44	90	70.1	70.4	70.3	87.0	66.8
Southeastern (Madison)	73	28	101	92.2	39.9	67.6	92.5	162.6
IOWA								
Cherokee	68	46	114	70.4	71.7	70.9	76.1	86.6
Clarinda	88	31	119	91.9	42.9	70.8	87.2	81.8
Independence	65	43	108	69.3	54.2	62.4	73.3	73.6
Mount Pleasant	79	39	118	85.8	55.2	72.5	75.8	66.4
MAINE								
Augusta	71	52	123	88.1	70.2	79.5	93.3	91.5
Bangor	62	33	95	105.8	65.5	87.2	118.3	99.3
MARYLAND								
Spring Grove (Catonsville)	40	39	79	79.2	82.6	80.9	91.4	74.2

* Unascertained

Table 15. Deaths in 76 state hospitals for mental diseases for the fiscal year 1920, and death rates per 1,000 of patients under treatment for the years 1910, 1918, and 1920—(Continued)

STATE HOSPITAL	DEATHS IN 1920				RATE PER 1,000 OF PATIENTS UNDER TREATMENT			RATE PER 1,000 OF PATIENTS UNDER TREATMENT
	NUMBER		RATE PER 1,000 OF PATIENTS UNDER TREATMENT		Males	Females	Total	
	Males	Females	Total	Males	Females	Total	1918	1910
MASSACHUSETTS								
Boston	116	107	223	110.6	76.8	91.1	75.6	112.5
Bridgewater	30	...	30	33.1	...	33.1	79.5	33.4
Danvers (Hathorne)	96	106	202	87.9	77.6	82.2	92.4	98.4
Foxborough	23	14	37	72.6	43.9	58.2	67.3	†
Gardner	24	15	39	42.0	37.4	40.1	18.0	14.5
Grafton (Worcester)	29	20	49	30.2	19.5	24.7	79.5	42.4
Medfield (Harding)	41	51	92	55.9	48.2	51.3	66.2	43.4
Northampton	65	68	133	79.6	82.2	80.9	95.9	78.7
Infirmary (Tewksbury)	22	19	41	96.1	34.4	52.5	75.1	97.1
Taunton	112	99	211	115.2	98.9	106.9	92.9	89.9
Westborough	50	48	98	62.7	42.6	51.0	81.0	70.7
Worcester	140	90	230	95.4	67.6	82.1	86.9	84.6
MICHIGAN								
Ionia	18	...	18	36.4	...	31.7	31.3	22.1
Kalamazoo	191	123	314	128.6	88.2	109.1	94.0	88.4
Pontiac	117	51	168	109.7	60.3	87.8	109.7	96.5
NEBRASKA								
Hastings	63	44	107	69.3	85.3	75.1	69.4	79.6
Lincoln	61	43	104	104.3	71.8	87.8	115.7	69.6
NEW HAMPSHIRE								
State Hospital (Concord)	80	71	151	94.3	82.6	88.4	91.7	119.9
NEW JERSEY								
Morris Plains	98	120	218	61.5	71.4	66.6	94.7	65.3
Trenton	147	125	272	97.0	96.8	96.9	100.2	78.9

† Not open.

Table 15. Deaths in 76 state hospitals for mental diseases for the fiscal year 1920, and death rates per 1,000 of patients under treatment for the years 1910, 1918, and 1920—(Continued)

STATE HOSPITAL	DEATHS IN 1920			RATE PER 1,000 OF PATIENTS UNDER TREATMENT			RATE PER 1,000 OF PATIENTS UNDER TREATMENT		
	Males	Females	Total	Males	Females	Total	1918	1910	
NEW YORK									
Binghamton	103	83	186	60.0	59.6	59.8	72.9	51.4	
Brooklyn	157	212	369	180.3	181.0	180.7	194.8	127.3	
Buffalo	108	105	213	81.6	68.8	74.7	73.4	60.9	
Central Islip	335	220	555	87.6	67.4	78.3	76.7	80.6	
Dannemora	13	...	13	21.8	...	21.8	19.8	18.4	
Gowanda Homeopathic (Collins)	52	28	80	59.6	42.4	52.2	66.0	59.7	
Hudson River (Poughkeepsie)	163	175	338	86.4	75.5	80.4	84.5	78.7	
Kings Park	168	147	315	65.6	46.7	55.2	76.4	75.1	
Manhattan (Ward's Island)	390	316	706	109.7	72.9	89.5	92.8	71.2	
Matteawan (Beacon)	28	8	36	32.1	54.8	35.3	40.4	20.9	
Middletown Homeopathic	56	74	130	61.8	48.1	53.2	64.5	47.6	
Rochester	77	91	168	85.4	72.0	77.6	100.9	82.3	
St. Lawrence (Ogdensburg)	87	75	162	75.4	52.2	62.5	61.6	56.4	
Utica	83	61	144	79.7	54.5	66.6	62.9	66.5	
Willard	162	151	313	106.9	96.7	101.8	108.0	73.9	
NORTH CAROLINA									
State Hospital (Morganton)	69	54	123	81.6	51.2	64.7	86.2	46.4	
OHIO									
Athens	75	71	146	93.3	91.7	92.5	78.2	80.4	
Cleveland	158	97	255	113.6	84.3	100.3	71.8	70.1	
Columbus	125	96	221	92.2	77.5	85.2	87.5	75.3	
Dayton	85	75	160	98.3	94.3	96.4	110.2	94.2	
Lima	31	9	40	39.3	54.5	41.9	29.3	+	
Longview (Cincinnati)	94	118	212	100.4	122.9	111.8	108.8	91.4	
Massillon	106	61	167	74.4	55.0	65.9	94.6	74.6	
Toledo	139	95	234	107.0	75.3	91.4	120.4	95.6	

† Not open

Table 15. Deaths in 76 state hospitals for mental diseases for the fiscal year 1920, and death rates per 1,000 of patients under treatment for the years 1910, 1918, and 1920—(Concluded)

STATE HOSPITAL	DEATHS IN 1920			RATE PER 1,000 OF PATIENTS UNDER TREATMENT			RATE PER 1,000 OF PATIENTS UNDER TREATMENT		
	Males	Females	Total	Males	Females	Total	1918	1910	
OREGON									
Eastern (Pendleton)	38	15	53	93.8	75.0	87.6	85.4	†	
PENNSYLVANIA									
Harrisburg	71	72	143	89.9	92.5	91.2	99.1	65.1	
Homeopathic (Allentown)	65	71	136	85.6	90.2	88.0	85.8	†	
Asylum (Wernersville)	33	6	39	44.5	27.6	40.7	44.0	20.1	
State Hospital (Danville)	76	57	133	69.7	60.0	65.2	79.0	58.5	
State Hospital (Norristown)	113	112	225	65.0	61.1	63.0	82.5	67.0	
Criminal (Waymart)	29	29	51.5	51.5	38.1	†	
Western (Torrance)	3	3	25.0	25.0	†	†	
RHODE ISLAND									
State Hospital (Howard)	130	109	239	120.1	109.5	115.1	103.6	75.7	
SOUTH DAKOTA									
Yankton	56	39	95	70.6	72.0	71.2	73.7	73.8	
TENNESSEE									
Eastern (Bearden)	37	44	81	72.4	76.4	74.5	127.7	70.8	
TEXAS									
Southwestern (San Antonio)	70	84	154	59.0	65.6	62.4	91.4	75.2	
VERMONT									
State Hospital (Waterbury)	53	53	106	115.0	117.0	116.0	96.4	72.8	
VIRGINIA									
Central (Petersburg)	167	120	287	137.2	110.5	124.6	136.2	111.0	
Eastern (Williamsburg)	66	30	96	106.6	54.2	81.9	76.4	78.6	
Southwestern (Marion)	40	33	73	66.1	71.6	68.5	62.8	53.3	
WASHINGTON									
Western (Fort Steilacoom)	114	43	157	103.9	55.1	83.6	67.5	76.0	

† Not open

